



VKJP 01012

Product Information - November 2015

VKJP 01012




Passenger cars



Technical information: VKJP 01012



SKF Semi-universal boot kits are similar to the OE boot shape. There is no need to cut to size for small and big diameter, as per SKF Universal Boot kits.



Note! Boot for CV-joints are up to \varnothing 89 mm, but not for Tulipe joint design.

The VKJP 01018 made with stretchy rubber guarantee fast and easy assembly with the SKF air operated expander tool VKN 402, without removing the CV-joint from the shaft.



Expander tool: *VKN 402*

For a professional repair when tightening the clamps, it is recommended to use the SKF tool VKN 400. Incorrect tightening of the clamps can cause premature failure of the CV-Joint!



Tightening tool: *VKN 400*



See next pages for the application list.



VKJP 01012

Product Information - November 2015

VKJP 01012

Car Maker	OE Nb	Model	Version	Front-Rear	Left-Right	Outer-Inner	Application Date	Boot diameter
ALFA ROMEO	77364113	159	2.4 JTDM Distinctive, 2.4 JTDM Ti	R	L-R	O	2007-	Ø 77 mm
ALFA ROMEO	77364113	159	3.2 JTS Distinctive	R	L-R	O	2005-	Ø 77 mm
ALFA ROMEO	77364113	159 Sportwagon	2.4 JTDM Distinctive, 2.4 JTDM Ti	R	L-R	O	2007-	Ø 77 mm
ALFA ROMEO	77364113	159 Sportwagon	3.2 JTS Distinctive	R	L-R	O	2006-	Ø 77 mm
ALFA ROMEO	-	Alfetta	1.6, 1.8	R	L-R	O	1978-	-
ALFA ROMEO	77364113	Brera	3.2 JTS	R	L-R	O	2005-	Ø 77 mm
ALFA ROMEO	77364113	Spider III	3.2 Sky	R	L-R	O	2006-10	Ø 77 mm
ALFA ROMEO	-	Sprint	-	F	L-R	O	1983-89	-
AUDI	-	80	1.6, 1.6 TD, 1.8, 1.9 TD, 1.9 TDi, 2.0	F	L-R	O	1986-95	-
AUDI	-	80	2.0 16V, 2.0, 2.0E, 2.3E, 2.6E, 2.8E	F	L-R	O	1991-95	-
AUDI	-	80	GTE 4 Cyl, Sport	F	L-R	O	1985-	-
AUDI	-	80	4 Cyl, 5 Cyl	F	L-R	O	1976-84	-
AUDI	-	80	Quattro, S2 2.2	F	L-R	O	1983-	-
AUDI	-	80 & 90	2.2	F	L-R	O	1985-	-
AUDI	-	90	GTE 4 Cyl , Quattro	F	L-R	O	1985-	-
AUDI	-	100	1.8	F	L-R	O	1985-86	-



VKJP 01012

Product Information - November 2015

VKJP 01012

Car Maker	OE Nb	Model	Version	Front-Rear	Left-Right	Outer-Inner	Application Date	Boot diameter
AUDI	-	100	2.0E, 2.3E, 2.5 TDi, 2.6E, 2.8E, S4	F	L-R	O	1991-94	-
AUDI	-	200	5E, 5T, Turbo, 200i	F	L-R	O	1980-	-
AUDI	-	Avant	1.8 4 Cyl	F	L-R	O	1983-85	-
AUDI	-	Avant	2.0, 2.2 Diesel	F	L-R	O	1977-84	-
AUDI	-	Cabrio	All Models	F	L-R	O	1992-	-
AUDI	-	Coupé	GL, GT5S	F	L-R	O	1981-	-
AUDI	-	Coupé	GT5E	F-R	L-R	O	1982-	-
AUDI	-	Coupé	Quattro, Sport Quattro	F-R	L-R	O	1980-	-
AUTOBIANCHI	-	Y10	1.0 T	F	L-R	O	1985-88	Ø 78 mm
AUSTIN / BRITISH LEYLAND	-	Allegro	1.5, 1.7, 1.750	F	L-R	O	1973-84	-
AUSTIN / BRITISH LEYLAND	-	Ambassador	1.7, 2.0	F	L-R	O	1982-84	-
AUSTIN / BRITISH LEYLAND	-	Maxi	-	F	L-R	O	1969-81	-
BRITISH LEYLAND	-	Triumph Acclaim	-	F	L-R	O	-1984	-
CITROËN	-	Ami8	-	F	L-R	O	1969-78	-
CITROËN	-	Dyane	4, 6	F	L-R	O	1969-82	-
CITROËN	-	Evasion	1.9 TD, 2.0 Turbo	F	L-R	O	1995-	-



VKJP 01012

Product Information - November 2015

VKJP 01012

Car Maker	OE Nb	Model	Version	Front-Rear	Left-Right	Outer-Inner	Application Date	Boot diameter
CITROËN	-	GS, GSA	-	F	L-R	O	1970-	-
CITROËN	-	Jumper I	1.9 D	F	L-R	I	1994-02	Ø 87 mm
CITROËN	-	LN, LNA	652cc	F	L-R	O	1976-85	-
CITROËN	-	Mehari	(except 4X4)	F	L-R	O	1969-	-
CHEVROLET	-	Express Van	-	F	L-R	O	1982-	-
FIAT	-	Doblo	1.9 JTD	F	L-R	O	2001	-
FIAT	9564479580	Ducato (230)	2.0	F	L-R	I	1994-01	Ø 87 mm
FIAT	9564479580	Ducato (230)	1.9 D	F	L-R	I	1994-00	Ø 87 mm
FIAT	9564479580	Ducato (230)	2,5 D, 2.5 D (4X4), 2.5 D Maxi, 1.9 TD, 2.5 TD, 2.5 TD (4x4), 2.5 TD Maxi	F	L-R	I	1994-98	Ø 87 mm
FIAT	9564479580	Ducato (230)	2.8 TD (4x4)	F	L-R	I	1998-01	Ø 87 mm
FIAT	-	Marengo	1.9 TD	F	L-R	O	1990-96	Ø 78 mm
FIAT	-	Marea/ Weekend	1.8, 1.9 TD	F	L-R	O	1996-	-
FIAT	-	Tempra	1.8i, 1.8i S.W	F	L-R	O	1993-97	Ø 78 mm
FIAT	-	Tempra	1.9 TD, 1.9 TD S.W	F	L-R	O	1991-95	Ø 78 mm
FIAT	-	Tipo	1.8i 16V 104	F	L-R	O	1993-95	Ø 78 mm
FIAT	-	Tipo	1.9 TD 90	F	L-R	O	1991-95	Ø 78 mm

Install confidence
www.vsm.skf.com



VKJP 01012

Product Information - November 2015

VKJP 01012

Car Maker	OE Nb	Model	Version	Front-Rear	Left-Right	Outer-Inner	Application Date	Boot diameter
FIAT	-	Tipo	2.0i 16V 146	F	L-R	O	1991-95	Ø 78 mm
FIAT	-	Uno	1.3i T 105	F	L-R	O	1989-91	Ø 78 mm
FIAT	-	Uno	1.4i T 112	F	L-R	O	1991-94	Ø 78 mm
FORD	-	Probe	2.0 16V, 2.5i V6	F	L-R	O	1994-	-
FORD	-	Transit Connect	1.8 TDDI	F	L-R	O	2002-	-
FORD	-	Laser	1.3, 1.6	F	L-R	O	1982-	-
FORD	-	Telstar	1.6, 1.8, 2.0	F	L-R	O	1979-	-
HONDA	-	Quintet	-	F	L-R	O	1981-83	-
HONDA	-	Shuttle	-	F	L-R	O	1984-	-
HONDA	-	Stream	1.7i	F	L-R	O	2001-	-
KIA	0K01222540 51612H1A00	Retona	2.0i	F	L-R	I	2000	Ø 82 mm
KIA	0K01222540 51612H1A00	Retona	2.0 TD	F	L-R	I	1999	Ø 82 mm
KIA	0K01222540 51612H1A00	Sorento I	2.4, 2.5 CRDi, 3.5	F	L-R	I	2002-06	Ø 82 mm
KIA	0K01222540 51612H1A00	Sorento II	3.3, 2.5 CRDi	F	L-R	I	2006-09	Ø 82 mm
KIA	0K01222540 51612H1A00	Sportage I	2.0	F	L-R	I	2000-03	Ø 82 mm
KIA	0K01222540 51612H1A00	Sportage I	2.0 Tdi 4x4	F	L-R	I	1996-99	Ø 82 mm



VKJP 01012

Product Information - November 2015

VKJP 01012

Car Maker	OE Nb	Model	Version	Front-Rear	Left-Right	Outer-Inner	Application Date	Boot diameter
KIA	0K01222540 51612H1A00	Sportage I	2.0 4x4, 2.0 TDiC 4x4	F	L-R	I	1999-03	Ø 82 mm
LADA	-	NIVA	4x4	F	L-R	O	1978-	-
LANCIA	-	Beta, Coupé	HPE	R	L-R	O	1976-85	-
LANCIA	-	Dedra	1.6i, 1.6i Wagon	F	L-R	O	1997-99	Ø 78 mm
LANCIA	-	Dedra	1.8i, 2.0i	F	L-R	O	1990-96	Ø 78 mm
LANCIA	-	Dedra	1.8i 16V, 1.8i 16V S.W	F	L-R	O	1996-97	Ø 78 mm
LANCIA	-	Dedra	1.8i VVT, 1.8i S.W VVT	F	L-R	O	1996-99	Ø 78 mm
LANCIA	-	Dedra	1.8i S.W	F	L-R	O	1994-96	Ø 78 mm
LANCIA	-	Dedra	1.9 TD, 1.9 TD Wagon	F	L-R	O	1990-99	Ø 78 mm
LANCIA	-	Dedra	1.8i Wagon VVT	F	L-R	O	1998-99	Ø 78 mm
LANCIA	-	Delta	1.3, 1.5 Integrale	F-R	L-R	O	1988-	-
LANCIA	-	Delta	1.6i	F	L-R	O	1988-91	Ø 78 mm
LANCIA	-	Delta	1.6i S.P.I	F	L-R	O	1992-93	Ø 78 mm
LANCIA	-	Delta	1.8i, 1.8i ABS	F	L-R	O	1993-96	Ø 78 mm
LANCIA	-	Delta	1.9 TD	F	L-R	O	1987-94	Ø 78 mm
LANCIA	-	Delta	2.0i 16V, 2.0i 16V ABS	F	L-R	O	1993-00	Ø 78 mm



VKJP 01012

Product Information - November 2015

VKJP 01012

Car Maker	OE Nb	Model	Version	Front-Rear	Left-Right	Outer-Inner	Application Date	Boot diameter
LANCIA	-	Delta	2.0i T 16V H.P.E.	F	L-R	O	1996-00	Ø 78 mm
LANCIA	-	Kappa	2.0, 2.4, 2.4 TD, 3.0	F	L-R	O	1994-96	-
LANCIA	-	Prisma	1.6, 1.6i, 1.9 TD	F	L-R	O	1987-89	Ø 78 mm
MAZDA	-	121	1.1, 1.3	F	L-R	O	1988-	-
MAZDA	MA0422530	MX5 III	1.8, 2.0	R	L-R	O	2005-	Ø 77 mm
MITSUBISHI	-	Pajero	-	F	L-R	O	1983-86	-
MITSUBISHI	-	RVR	1.8i	F	L-R	O	1991-	-
MITSUBISHI	-	Space-star	1.8i	F	L-R	O	2002-	-
NISSAN	-	Bluebird	1.8	F	L-R	O	1983-	-
NISSAN	-	Prairie M10	-	F	L-R	O	1983-	-
OPEL	-	Ascona	1.8, 2.0 Auto	F	L-R	O	1981-	-
OPEL	-	Meriva	1.7	F	L-R	O	2003-	-
OPEL	-	Meriva	1.7 DTI, 1.8i	F	L-R	O	2003	-
PEUGEOT	-	Boxer II	2.0 HDi	F	L-R	I	2001-06	Ø 87 mm
PEUGEOT	-	604	All Models	F	L-R	O	1975-	-
PEUGEOT	-	J5	1.8, 1.9D, 2.0, 2.1, 2.3, 2.5	F	L-R	O	1981-94	-



VKJP 01012

Product Information - November 2015

VKJP 01012

Car Maker	OE Nb	Model	Version	Front-Rear	Left-Right	Outer-Inner	Application Date	Boot diameter
PEUGEOT	-	J9 Van	-	F-R	L-R	O	1984-	-
RENAULT	-	30	TS, TX	F	R	O	1977-80	-
RENAULT	-	Clio Williams	-	F	R	O	1983-	-
RENAULT	-	Espace	2.0, 2.2	F	R	O	1991-	-
RENAULT	-	Super 5	(86 mm Cv-Joint)	F	R	O	1990-	-
RENAULT	-	Express	(86 mm Cv-Joint)	F	R	O	1985-	-
ROVER	-	800	-	F	L-R	O	1986-	-
SEAT	-	Ibiza	2.0i	F	L-R	O	2002	-
TOYOTA	-	4-Runner	3.0 TO	F	L-R	O	1993-	-
TOYOTA	-	Camry	1.8, 2.0	F	L-R	O	1982-90	-
TOYOTA	-	Carina	1.6, 1.8 petrol & diesel	F	L-R	O	1983-	-
TOYOTA	-	Celica	1.5, 1.6, Supra Coupè 2.8	F	L-R	O	1971-	-
TOYOTA	-	Corolla	1.3, 1.6, 1.6 GT, 1.8, 2.0 diesel	F	L-R	O	-1983	-
TOYOTA	-	Corolla Verso	1.6i, 1.8i	F	L-R	O	2001-	-
TOYOTA	-	Corona	All Models	F	L-R	O	1983-	-
TOYOTA	-	Cressida	All Models	F	L-R	O	1977-82	-



VKJP 01012

Product Information - November 2015

VKJP 01012

Car Maker	OE Nb	Model	Version	Front-Rear	Left-Right	Outer-Inner	Application Date	Boot diameter
TOYOTA	-	MR2	1.8	R	L-R	O	2001-	-
TOYOTA	-	Prius	1.8i	F	L-R	O	2000-01	-
TOYOTA	-	Starlet	-	F	L-R	O	1980-	-
TOYOTA	-	Tercel	-	F	L-R	O	1986-	-
VAUXHALL	-	Astra Van, Max.	1.3, 1.6, 1.7	F	L-R	O	1982-	-
VAUXHALL	-	Belmont	1.3, 1.6	F	L-R	O	1986-	-
VAUXHALL	-	Vectra	1.4, 1.6 Inc. Automatic	F	L-R	O	1989-	-
VOLKSWAGEN	-	Golf	1.1, 1.3, 1.5	F	L-R	O	1974-83	-
VOLKSWAGEN	-	Santana	CX, LX 4 cyl, GX 5 cyl	F	L-R	O	1982-86	-
ZASTAVA	-	Sana	1.4	F	L-R	O	1990-93	-

Install confidence
www.vsm.skf.com

® SKF is a registered trademark of the SKF Group.

© SKF Group 2015

The contents of this publication are the copyright of the publisher and may not be reproduced (even extracts) unless written permission is granted. Every care has been taken to ensure the accuracy of the information contained in this publication but no liability can be accepted for any loss or damage whether direct, indirect or consequential arising out of the use of the information contained herein.
November 2015