

POGLAVLJE 1: Identifikacija hemikalije i podaci o licu koje stavlja hemikaliju u promet

1.1 Identifikacija hemikalije

Ulje za hidraulične transmisije (ATF)
Broj artikla: 47716, 100708, 100709, 107394
UFI: 1N48-Y4J6-K00W-DSN9

1.2 Identifikovani načini korišćenja hemikalije i načini korišćenja koji se ne preporučuju

1.2.1 Identifikovan način korišćenja

Sredstvo za podmazivanje

1.2.2 Način korišćenja koji se ne preporučuje

Nema poznatih.

1.3 Podaci o snabdevaču

Preduzeće

Ferdinand Bilstein South East Europe d.o.o.
Brđanska 412
11232 RIPANJ / SRBIJA
Telefon +381 11 8652 874
Fax +381 11 8652 603
E-mail igor.samardzic@bilsteingroup.com

proizvođač

Ferdinand Bilstein GmbH + Co. KG
Wilhelmstr. 47
58256 Ennepetal / NEMAČKA
Telefon +49 2333 911-0
Fax +49 2333 911-444
Homepage www.febi.com
E-mail info@febi.com

Područje koje pruža informaciju

Tehničke informacije

info@febi.com

Bezbednosni list

info@febi.com

1.4 Broj telefona za hitne slučajeve

Savetovalište

Centar za kontrolu trovanja: 011/2661-122, 011/2662-755, dostupan od 8-16h
011/360 84 40, dostupan od 0 do 24h

POGLAVLJE 2: Identifikacija opasnosti

2.1 Klasifikacija hemikalije

Opasnost od aspiracije, kategorija 1: H304 Može izazvati smrt ako se proguta i dospe do disajnih puteva.

Ferdinand Bilstein South East Europe d.o.o.

Datum Štampanja 22.02.2023, Datum revizije 22.02.2023

Verzija broj: 7.0. Zamenjuje verziju: 6.0

Strana 2 / 12

2.2 Elementi obeležavanja

Vrste opasnosti koju hemikalija/proizvod predstavlja po zdravlje ljudi i životnu sredinu CLP Regulativa (EC)br. 1272/2008 i Pravilnik o klasifikaciji, pakovanju, obeležavanju i oglašavanju hemikalije i određenog proizvoda u skladu sa globalno harmonizovanim sistemom za klasifikaciju i obeležavanje UN ("Sl. glasnik RS", br. 105/2013, 52/2017 i 21/2019)

Piktogram opasnosti



Reč upozorenja

Opasnost

Sadržaji:

Destilati (nafta), hidrogenizovani, teški parafinski (< 3% DMSO-extract)

Obaveštenje o opasnosti

H304 Može izazvati smrt ako se proguta i dospe do disajnih puteva.

Obaveštenja o merama predostrožnosti

P101 Ako je potreban medicinski savet, sa sobom poneti ambalažu ili etiketu proizvoda.

P102 Čuvati van domašaja dece.

P301+P310 AKO SE PROGUTA: Hitno pozvati Centar za kontrolu trovanja ili se obratiti lekaru.

P331 Ne izazivati povraćanje.

P405 Skladištiti pod ključem.

P501 Odlaganje sadržaja / ambalaže u / na u skladu sa lokalnim / regionalnim / nacionalnim / međunarodnim propisima (naznačiti).

2.3 Ostale opasnosti

Fizikalne-hemijske opasnosti

Nisu poznate nikakve posebne opasnosti.

Opasnosti po zdravlje

Čest i dugotrajan kontakt sa kožom može dovesti do nadraživanja kože. Pri gutanju odnosno povraćanju postoji opasnost prodora u pluća.

Opasnosti po čovekovu okolinu

Ne sadrži PBT odnosno vPvB materije.

Ne sadrži sastojke sa svojstvima poremećaja rada endokrinih sistema.

Ostale opasnosti

Nisu poznate nikakve posebne opasnosti.

POGLAVLJE 3: Sastav/Podaci o sastojcima

3.1 Podaci o sastojcima supstance

nije primenljiv

3.2 Podaci o sastojcima smeše

Kod ovog proizvoda radi se o smeši.

Udeo (nekog materijala u proizvodu) [%]	Hemijski naziv ili trgovačko ime
50 - < 100	Destilati (nafta), hidrogenizovani, teški parafinski (< 3% DMSO-extract) CAS: 64742-54-7, EINECS/ELINCS: 265-157-1, EU-INDEX: 649-467-00-8, Reg-No.: 01-2119484627-25-XXXX GHS/CLP: Opasnost od aspiracije, kategorija 1: H304

Komentar sastavnih delova

Sadrži <3% po masi DMSO ekstrakta (samo za mineralna ulja)

Spisak SVHC (Candidate List of Substances of Very High Concern for authorisation): Ne sadrži materije sa spiska ili ih sadrži manje od 0,1%.

Tekst navedenih napomena o opasnostima nalazi se u 16. poglavlju.

POGLAVLJE 4: Mere prve pomoći

4.1 Opis mera prve pomoći

Opšta uputstva	Promeniti pokvašenu odeću.
Nakon udisanja	Pobrinuti se za pristup svežem vazduhu. Pri žalbama dovesti lekarsku intervenciju.
Nakon dodira sa kožom	Pri dodiru sa kožom oprati sa vodom i sapunom. Pri stalnom iritacijom kože potražiti lekara.
Nakon dodira sa očima	Nekoliko minuta pažljivo ispirati vodom. Eventualno postojeća kontaktna sočiva po mogućnosti ukloniti. Ispirati dalje. Kod dugotrajnog nadražaja očiju: potražiti lekarski savet /lekarsku pomoć
Nakon gutanja	Ne započinjati povraćanje. Isprati usta i ispijati dovoljno vode. Odmah upitati za lekarski savet.

4.2 Najvažniji simptomi i efekti, akutni i odloženi

Nema raspoloživih informacija.

4.3 Hitna medicinska pomoć i poseban tretman

Pri gutanju odnosno povraćanju postoji opasnost prodora u pluća.
Bezbednosni list staviti na raspolaganje lekaru.

POGLAVLJE 5: Mere za gašenje požara

5.1 Sredstva za gašenje požara

Prikladno sredstvo za gašenje	Pena, prah za gašenje, voda pod pritiskom, ugljendioksid.
Neprikladna sredstva za gašenje	Jak vodeni mlaz.

5.2 Posebne opasnosti koje mogu nastati od supstanci i smeša

Nesagoreni ugljenični vodonik.
Opasnost stvaranja toksičnih piroliz proizvoda.
Uglenmonoksid (CO).

5.3 Savet za vatrogasce

Ne udisati gasove od požara i eksplozija.
Upotrebiti zaštitnu masku sa nezavisnim dovodom kiseonika.
Ugrožene rezervoare ohladiti sa rasprskavajućem mlazom vode.
Pobrinuti se za ostatke i kontaminiranu vodu koja se koristila za gašenje požara i koja se mora odlagati u skladu sa nacionalnim propisima koji regulišu upravljanje otpadom (videti 13.1.3).

POGLAVLJE 6: Mere u slučaju udesa

6.1 Lične predostrožnosti, zaštitna oprema i postupci u slučaju udesa

Posebna opasnost od rasipanog/isteklog proizvoda.
Stvara sa vodom klizavu naslagu.

6.2 Predostrožnosti koje se odnose na životnu sredinu

Sprečiti širenje po površini (n.pr. Podignuti nasip).
Ne ispuštati u odvođe/površinske vode/podzemne vode.

6.3 Mere koje treba preduzeti i materijal za sprečavanje širenja i sanaciju

Pokupiti sa materijalom koji se vezuje za tečnost (n.pr. univerzalnim sredstvom vezivanje).
Pokupljeni materijal propisno zbrinuti.

6.4 Upućivanje na druga poglavlja

Vidi poglavlje 8+13

Ferdinand Bilstein South East Europe d.o.o.

Datum Štampanja 22.02.2023, Datum revizije 22.02.2023

Verzija broj: 7.0. Zamenjuje verziju: 6.0

Strana 4 / 12

POGLAVLJE 7: Rukovanje i skladištenje

7.1 Predostrožnosti za bezbedno rukovanje

- Izbeci stvaranje aerosola.
- Proizvod je zapaljiv.
- Tokom rada ne jesti, piti, ušmrkivati.
- Preventivno zaštititi ruke sa kremom.
- Pre pauze i nakon završetka rada oprati ruke.
- Ne nositi naokolo u džepovima pantalona krpe natopljene proizvodom.
- Nije dozvoljeno nositi kontaminirano radno odelo van radnog mesta.
- Kontaminiranu odeću svući i oprati pre ponovnog nošenja.

7.2 Uslovi za bezbedno skladištenje, uključujući nekompatibilnosti

- Čuvati samo u originalnim posudama.
- Sprečiti sigurno prodiranje u podu.
- Ne čuvati zajedno sa hranom i stočnom hranom.
- Posude držati čvrsto zatvorene.
- Posude čuvati na dobro provetrenom mestu.

7.3 Posebni načini korišćenja

Vidi poglavlje 1.2

POGLAVLJE 8: Kontrola izloženosti

8.1 Parametri kontrole izloženosti

Sastavni delovi sa njihovim
graničnim vrednostima, koje se
nadgledavaju u okviru radnog mesta
(SR)

nije relevantno

DNEL

Hemijski naziv ili trgovačko ime
Destilati (nafta), hidrogenizovani, teški parafinski (< 3% DMSO-extract), CAS: 64742-54-7
profesionalni korisnik, industrija, dermalno, Dugotrajni -sistemski, 970 µg/kg bw/day
profesionalni korisnik, industrija, inhalativno, Dugotrajni -lokalni, 5.58 mg/m ³
profesionalni korisnik, industrija, inhalativno, Dugotrajni -sistemski, 2.73 mg/m ³
potrošač, opšta populacija, oralno, Dugotrajni -sistemski, 740 µg/kg bw/day
potrošač, opšta populacija, inhalativno, Dugotrajni -lokalni, 1.19 mg/m ³

PNEC

Hemijski naziv ili trgovačko ime
Destilati (nafta), hidrogenizovani, teški parafinski (< 3% DMSO-extract), CAS: 64742-54-7
oralno (hrana), 9,33 mg/kg

Ferdinand Bilstein South East Europe d.o.o.

Datum Štampanja 22.02.2023, Datum revizije 22.02.2023

Verzija broj: 7.0. Zamenjuje verziju: 6.0

Strana 5 / 12

8.2 Kontrola izloženosti i lična zaštita

Dodatna uputstva za formiranje tehničke opreme	Pobrinuti se za dovoljno izvetavanje i provetavanje na radnom mestu. Opšti rok za ulja magle treba napomenuti. Sprovođenje procedura merenja na radnom mestu mora da ispunjava zahteve standarda DIN EN 482. Preporuke su navedene npr. na spisku opasnih tvari Instituta za zdravlje i bezbednost na radu nemačkog Obaveznog fonda za osiguranje od nesreća (IFA).
Zaštita očiju	Na rizik od prskanja: Zaštitne naočare. (EN 166:2001)
Zaštita ruku	Ovi podaci su samo preporuke. Za detaljnije informacije molimo kontaktirajte isporučioća rukavica. > 0,4 mm: Neoprene, >480 min (EN 374-1/-2/-3). > 0,4 mm: nitrilna guma, >480 min (EN 374-1/-2/-3).
Zaštita tela	Laka zaštitna odeća.
Ostale zaštitne mere	Vrsta lične zaštitne oprema mora se izabrati u zavisnosti od koncentracije i količine opasnih materija i u skladu sa specifičnostima radnog mesta. Sa dobavljačima bi trebalo da se utvrdi otpornost zaštitnih sredstava na hemikalije. Izbegavati dodir sa očima i kožom.
Zaštita disajnih organa	Korišćenje zaštitne maske pri stvaranju magle i aerosoli. Jednokratni uređaj filtera, kombinovani filter A-P1. (DIN EN 14387)
Zaštita od termičkih opasnosti	nijedni
Kontrola izloženosti životne sredine	Pridržavati se važećih ekoloških smernica koje ograničavaju uvođenje u vazduh, vodu i tlo.

POGLAVLJE 9: Fizička i hemijska svojstva

9.1 Podaci o osnovnim fizičkim i hemijskim svojstvima hemikalije

Fizičko stanje	tečnost
Oblik	tečnost
Boja	bezbojan
Miris	karakterističan
prag mirisa	Nema raspoloživih informacija.
pH-Vrednost	nije primenljiv
pH-Vrednost [1%]	nije primenljiv
Tačka ključanja [°C]	Nema raspoloživih informacija.
Tačka paljenja [°C]	202
Zapaljivost [°C]	Nema raspoloživih informacija.
Donja granica eksplozivnosti	Nema raspoloživih informacija.
Gornja granica eksplozivnosti	Nema raspoloživih informacija.
Oksidujuća svojstva	ne
napon pare [kPa]	Nema raspoloživih informacija.
Gustina [g/cm³]	0,83 (15 °C / 59,0 °F)
Relativna gustina	nije određen
Gustina šuta [kg/m³]	nije primenljiv
Rastvorljivost u vodi	nema sposobnost mešanja
Rastvorljivost u drugim rastvaračima	Nema raspoloživih informacija.
Koeficijent raspodele [n-oktanol/voda]	Nema raspoloživih informacija.
Kinematički viskozitet	17,5 mm ² /s (40°C)
Relativna gustina pare	Nema raspoloživih informacija.
Brzina isparavanja	Nema raspoloživih informacija.
Tačka topljenja [°C]	Nema raspoloživih informacija.
Temperatura zapaljivosti [°C]	Nema raspoloživih informacija.
Temperatura razlaganja [°C]	Nema raspoloživih informacija.
Osobine čestica	Nema raspoloživih informacija.

Ferdinand Bilstein South East Europe d.o.o.

Datum Štampanja 22.02.2023, Datum revizije 22.02.2023

Verzija broj: 7.0. Zamenjuje verziju: 6.0

Strana 6 / 12

9.2 Ostali podaci

Temperatura očvršćavanja. -45 °C

POGLAVLJE 10: Reaktivnost i stabilnost

10.1 Reaktivnost

Kod namenske primene nema poznatih.

10.2 Hemijska stabilnost

Proizvod je stabilan pod normalnim uslovima.

10.3 Mogućnost nastanka opasnih reakcija

Reakcije sa kiselinama, alkalijama i sredstvima oksidacije.

10.4 Uslovi koje treba izbegavati

Jako zagrijavanje.

10.5 Nekompatibilni materijali

Reakcije sa jakim sredstvima oksidacije.

Kiselinama

Strong baznih jedinjenja

10.6 Opasni proizvodi razgradnje

Nisu poznati nikakvi opasni proizvodi raspadanja.

Ferdinand Bilstein South East Europe d.o.o.

Datum Štampanja 22.02.2023, Datum revizije 22.02.2023

Verzija broj: 7.0. Zamenjuje verziju: 6.0

Strana 7 / 12

POGLAVLJE 11: Toksikološki podaci

11.1 Podaci o toksičnim efektima

Akutna oralna toksičnost

Proizvod
oralno, Na osnovu dostupnih informacija kriterijumi za klasifikaciju nisu ispunjeni.
Hemijski naziv ili trgovačko ime
Destilati (nafta), hidrogenizovani, teški parafinski (< 3% DMSO-extract), CAS: 64742-54-7
LD50, oralno, Pacov, 5000 mg/kg bw

Akutna dermatološka toksičnost

Proizvod
dermalno, Na osnovu dostupnih informacija kriterijumi za klasifikaciju nisu ispunjeni.
Hemijski naziv ili trgovačko ime
Destilati (nafta), hidrogenizovani, teški parafinski (< 3% DMSO-extract), CAS: 64742-54-7
LD50, dermalno, Pitomi zec, 2000 - 5 00 mg/kg bw

Akutna inhalaciona toksičnost

Proizvod
inhalativno, Na osnovu dostupnih informacija kriterijumi za klasifikaciju nisu ispunjeni.
Hemijski naziv ili trgovačko ime
Destilati (nafta), hidrogenizovani, teški parafinski (< 3% DMSO-extract), CAS: 64742-54-7
LC50, inhalativno, Pacov, 2.18 - 5.53 mg/L air, 4h

Teško oštećenje oka/iritacija oka Na osnovu dostupnih informacija kriterijumi za klasifikaciju nisu ispunjeni.

Korozivno oštećenje kože/iritacija Na osnovu dostupnih informacija kriterijumi za klasifikaciju nisu ispunjeni.

Senzibilizacija respiratornih organa ili kože Na osnovu dostupnih informacija kriterijumi za klasifikaciju nisu ispunjeni.

Specifična toksičnost za ciljni organ - jednokratna izloženost Na osnovu dostupnih informacija kriterijumi za klasifikaciju nisu ispunjeni.

Specifična toksičnost za ciljni organ - višekratna izloženost Na osnovu dostupnih informacija kriterijumi za klasifikaciju nisu ispunjeni.

Hemijski naziv ili trgovačko ime
Destilati (nafta), hidrogenizovani, teški parafinski (< 3% DMSO-extract), CAS: 64742-54-7
NOAEL, dermalno, Pitomi zec, 1000 mg/kg bw/day
NOAEL, dermalno, Pacov, 30 - 2000 mg/kg bw/day
NOAEC, inhalativno, Pacov, 980 mg/m ³ air
LOAEL, oralno, Pacov, 125 mg/kg bw/day

Mutagenost germinativnih ćelija Na osnovu dostupnih informacija kriterijumi za klasifikaciju nisu ispunjeni.

Toksičnost po reprodukciju Na osnovu dostupnih informacija kriterijumi za klasifikaciju nisu ispunjeni.

- Efekti na plodnost

Hemijski naziv ili trgovačko ime
Destilati (nafta), hidrogenizovani, teški parafinski (< 3% DMSO-extract), CAS: 64742-54-7
NOAEL, oralno, Pacov, 1000 mg/kg bw/d (Effect on fertility), nije primećeno štetno delovanje

Ferdinand Bilstein South East Europe d.o.o.

Datum Štampanja 22.02.2023, Datum revizije 22.02.2023

Verzija broj: 7.0. Zamenjuje verziju: 6.0

Strana 8 / 12

- Efekti na razvoj

Hemijski naziv ili trgovačko ime
Destilati (nafta), hidrogenizovani, teški parafinski (< 3% DMSO-extract), CAS: 64742-54-7
NOAEL, oralno, Pacov, 1000 mg/kg bw/d (Effect on fertility), nije primećeno štetno delovanje

Karcinogenost Na osnovu dostupnih informacija kriterijumi za klasifikaciju nisu ispunjeni.

Opasnost od aspiracije Na osnovu dostupnih informacija kriterijumi za klasifikaciju su ispunjeni.
Može izazvati smrt ako se proguta i dospe do disajnih puteva.
Na temelju rezultata ispitivanja

Sveukupne primedbe

Ne postoje toksikološke podatke o celokupnom proizvodu.
Navedeni toksikološki podaci namenjeni su zaposlenima medicinskih zanimanja, stručnjacima iz oblasti bezbednosti i zdravstvene zaštite na radnom mestu i toksikolozima. Navedeni toksikološki podaci sastojaka su stavljeni na raspolaganje od strane proizvođača sirovina.

11.2 Ostale opasnosti

Osobine ometanja funkcije endokrinog sistema Ne sadrži sastojke sa svojstvima poremećaja rada endokrinih sistema.

Ostali podaci nijedni

POGLAVLJE 12: Ekotoksikološki podaci

12.1 Toksičnost

Proizvod
Na osnovu dostupnih informacija kriterijumi za klasifikaciju nisu ispunjeni.
Hemijski naziv ili trgovačko ime
Destilati (nafta), hidrogenizovani, teški parafinski (< 3% DMSO-extract), CAS: 64742-54-7
EL50, (48h), Invertebrates, 10 g/L
NOELR, (14d), riba, 1 mg/L
LL50, (96h), Invertebrates, 10 g/L
LL50, (96h), riba, 100 mg/L

12.2 Perzistentnost i razgradljivost

Ponašanje u životnoj okolini

Ponašanje u postrojenjima za čišćenje otpadnih voda

Biološka razgradljivost

Proizvod je teško rastvorljiv u vodi. Dalekosežno se može eliminirati iz vode preko abiološke procese, na primer mehaničko secanje.

12.3 Potencijal bioakumulacije

Nema raspoloživih informacija.

12.4 Mobilnost u zemljištu

Nema raspoloživih informacija.

12.5 Rezultati PBT i vPvB procene

Na osnovu svih raspoloživih informacija ne klasifikuje se kao PBT odnosno vPvB.

12.6 Osobine ometanja funkcije endokrinog sistema

Ne sadrži sastojke sa svojstvima poremećaja rada endokrinih sistema.

Ferdinand Bilstein South East Europe d.o.o.

Datum Štampanja 22.02.2023, Datum revizije 22.02.2023

Verzija broj: 7.0. Zamenjuje verziju: 6.0

Strana 9 / 12

12.7 Ostali štetni efekti

Navedeni toksikološki podaci sastojaka su stavljeni na raspolaganje od strane proizvođača sirovina.

POGLAVLJE 13: Odlaganje

13.1 Metode tretmana otpada

Preporuka: Ostaci ovog proizvoda treba da se odlože u skladu sa Zakonom o upravljanju otpadom ("Sl. glasnik RS", br. 36/2009 i 88/2010) i Zakonom o ambalaži i ambalažnom otpadu ("Sl. glasnik RS", br. 36/2009).
Klasifikacija otpada proizvoda prema/Klasifikacija ambalaže proizvoda prema Pravilniku o kategorijama, ispitivanju i klasifikaciji otpada („Sl. glasnik RS“, broj 56/2010)

Proizvod

Zbrinuti kao opasan otpad.
Zbrinjavanje odrediti sa preduzecu za zbrinjavanje.
Smernica EU 2011/65/EU [(EU) 2015/863] (RoHS) o ograničenju upotrebe nekih opasnih supstanci je ispoštovana.

Broj šifre za otpad (preporučuje se) 130205*

Ambalaža proizvoda

Pakovanja koja nisu kontaminirana se mogu reciklirati.
Kontaminirana ambalaža koju nije bilo moguće očistiti, mora biti odložena na isti način kao i ostaci proizvoda.

Broj šifre za otpad (preporučuje se) 150102 plastična ambalaža
150104 metalna ambalaža
150110* ambalaža koja sadrži ostatke opasnih supstanci ili je kontaminirana opasnim supstancama

POGLAVLJE 14: Podaci o transportu

14.1 UN broj ili identifikacijski broj

Kopneni transport u skladu sa ADR/RID nije primenljiv

Prevoz unutrašnjim plovnim putevima (ADN) nije primenljiv

Pomorski prevoz opasnog tereta IMDG nije primenljiv

Vazdušni prevoz opasnog tereta (IATA) nije primenljiv

14.2 UN naziv za teret u transportu

Kopneni transport u skladu sa ADR/RID NIJE OPASAN TERET

Prevoz unutrašnjim plovnim putevima (ADN) NIJE OPASAN TERET

Pomorski prevoz opasnog tereta IMDG NOT CLASSIFIED AS "DANGEROUS GOODS"

Vazdušni prevoz opasnog tereta (IATA) NOT CLASSIFIED AS "DANGEROUS GOODS"

Ferdinand Bilstein South East Europe d.o.o.

Datum Štampanja 22.02.2023, Datum revizije 22.02.2023

Verzija broj: 7.0. Zamenjuje verziju: 6.0 Strana 10 / 12

14.3 Klasa opasnosti u transportu

Kopneni transport u skladu sa ADR/RID nije primenljiv

Prevoz unutrašnjim plovnim putevima (ADN) nije primenljiv

Pomorski prevoz opasnog tereta IMDG nije primenljiv

Vazdušni prevoz opasnog tereta (IATA) nije primenljiv

14.4 Ambalažna grupa

Kopneni transport u skladu sa ADR/RID nije primenljiv

Prevoz unutrašnjim plovnim putevima (ADN) nije primenljiv

Pomorski prevoz opasnog tereta IMDG nije primenljiv

Vazdušni prevoz opasnog tereta (IATA) nije primenljiv

14.5 Opasnost po životnu sredinu

Kopneni transport u skladu sa ADR/RID ne

Prevoz unutrašnjim plovnim putevima (ADN) ne

Pomorski prevoz opasnog tereta IMDG ne

Vazdušni prevoz opasnog tereta (IATA) ne

14.6 Posebne predostrožnosti za korisnika

Odgovarajući podatak pod tačkom 6 do 8.

14.7 Transport u rasutom stanju

nije primenljiv

POGLAVLJE 15: Regulatorni podaci

15.1 Propisi u vezi sa bezbednošću, zdravljem i životnom sredinom

EU-PROPISI	2008/98/EG (2000/532/EG); 2010/75/EU; 2004/42/EG; (EG) 648/2004; (EG) 1907/2006 (REACH); (EU) 1272/2008; 75/324/EWG ((EG) 2016/2037); (EU) 2020/878; (EU) 2016/131; (EU) 517/2014
TRANSPORT-PROPISE	ADR (2023); IMDG-Code (2023, 41. Amdt.); IATA-DGR (2023)
NACIONALNE PROPISE (SR):	<ul style="list-style-type: none"> * Zakonom o hemikalijama (Sl. glasnik RS br. 36/09, 88/10, 92/11, 93/12 i 25/2015) * CLP/GHS - Pravilnikom o klasifikaciji, pakovanju, obeležavanju i oglašavanju hemikalije i određenog proizvoda u skladu sa Globalno harmonizovanim sistemom za klasifikaciju i obeležavanje UN (Sl.glasnik RS br.105/13) * Pravilnikom o sadržaju bezbednosnog lista (Sl. glasnik RS br. 100/11) * Spiskom klasifikovanih supstanci (Sl. glasnik RS br. 48/14) * Pravilnikom o preventivnim merama za bezbedan i zdrav rad pri izlaganju hemijskim materijama (Sl.glasnik RS br.106/09) * Pravilnik o ograničenjima i zabranama proizvodnje, stavljanja u promet i korišćenja hemikalija koje predstavljaju neprihvatljiv rizik po zdravlje ljudi i životnu sredinu (Sl.glasnik RS br.89/10, 71/11 i 90/11) * Zakon o transportu opasnog tereta (Sl.glasnik RS br.88/10) * Zakon o upravljanju otpadom (Sl.glasnik RS, br.36/09 i 88/10) * Zakonom o ambalaži i ambalažnom otpadu (Sl.glasnik RS br.36/09) * Pravilnik o kategorijama, ispitivanju i klasifikaciji otpada (Sl. glasnik RS, br. 56/10) *EU*- hemijska materija za koju je utvrđena indikativna granična vrednost izloženosti prema Direktivi 2000/39/EZ, 2009/161/EZ, 2006/15/EZ.
- Obratiti pažnju na ograničenja u radu	nije primenljiv
- VOC (2010/75/EG)	0%

15.2 Procena bezbednosti hemikalije

Nije izvršena procena sigurnosti stvari.

POGLAVLJE 16: Ostali podaci

16.1 H-rečenice (Poglavlje 3)

H304 Može izazvati smrt ako se proguta i dospe do disajnih puteva.

Ferdinand Bilstein South East Europe d.o.o.

Datum Štampanja 22.02.2023, Datum revizije 22.02.2023

Verzija broj: 7.0. Zamenjuje verziju: 6.0 Strana 12 / 12

16.2 Skraćenice i akronimi:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route
 RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses
 ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure
 ATE = acute toxicity estimate
 CAS = Chemical Abstracts Service
 CLP = Classification, Labelling and Packaging
 DMEL = Derived Minimum Effect Level
 DNEL = Derived No Effect Level
 EC50 = Median effective concentration
 ECB = European Chemicals Bureau
 EEC = European Economic Community
 EINECS = European Inventory of Existing Commercial Chemical Substances
 EL50 = Median effective loading
 ELINCS = European List of Notified Chemical Substances
 EmS = Emergency Schedules
 GHS = Globally Harmonized System of Classification and Labelling of Chemicals
 IATA = International Air Transport Association
 IBC-Code = International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk
 IC50 = Inhibition concentration, 50%
 IMDG = International Maritime Code for Dangerous Goods
 IUCLID = International Uniform Chemical Information Database
 IVIS = In vitro irritation score
 LD50 = Median lethal dose
 LC0 = lethal concentration, 0%
 LOAEL = lowest-observed-adverse-effect level
 LL50 = Median lethal loading
 LQ = Limited Quantities
 MARPOL = International Convention for the Prevention of Marine Pollution from Ships
 NOAEL = No Observed Adverse Effect Level
 NOEC = No Observed Effect Concentration
 PBT = Persistent, Bioaccumulative and Toxic substance
 PNEC = Predicted No-Effect Concentration
 REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals
 STP = Sewage Treatment Plant
 TLV@/TWA = Threshold limit value – time-weighted average
 TLV@STEL = Threshold limit value – short-time exposure limit
 VOC = Volatile Organic Compounds
 vPvB = very Persistent and very Bioaccumulative

16.3 Ostali podaci**Postupak klasifikacije**

Opasnost od aspiracije, kategorija 1: H304 Može izazvati smrt ako se proguta i dospe do disajnih puteva. (Na temelju rezultata ispitivanja)

Promenjene pozicije

POGLAVLJE 11 pridodano: Ne sadrži sastojke sa svojstvima poremećaja rada endokrinih sistema.

POGLAVLJE 12 pridodano: Ne sadrži sastojke sa svojstvima poremećaja rada endokrinih sistema.