Ferdinand Bilstein GmbH + Co. KG

Date printed 01.04.2019, Revision 01.04.2019



Version 01 Pag

Page 1 / 9

SEC	TION 1: Identification of the subst	ance/mixture and of the company/undertaking	
1.1	1.1 Product identifier		
		Grease	
4.0	Delevent identified uses of the ev	whether an initial and uses advised ensity	
1.2	Relevant identified uses of the st	ubstance or mixture and uses advised against	
1.2.1 Relevant uses			
		Grease	
1.2.2	2 Uses advised against		
		None known.	
1.3	Details of the supplier of the safe	etv data sheet	
	Company	Ferdinand Bilstein GmbH + Co. KG	
		Wilhelmstr. 47	
		58256 Ennepetal / GERMANY Phone +49 2333 911-0	
		Fax +49 2333 911-444	
		Homepage www.febi.com E-mail info@febi.com	
	Address enquiries to		
	Technical information	info@febi.com	
	Safety Data Sheet	info@febi.com	
1.4	Emergency telephone number		
	Advisory body	+49 (0)89-19240 (24h) (English)	
SEC	TION 2: Hazards identification		
2.1 Classification of the substance or mixture [REGULATION (EC) No 1272/2008]			
		No classification.	
2.2	Label elements		
		The product is required to be labelled in accordance with regulation (EC) No 1272/2008 (CLP).	
	Hazard pictograms	none	
	Signal word	none	
	Hazard statements	none	
	Precautionary statements	none	
	Special labelling	EUH210 Safety data sheet available on request.	
2.3	Other hazards		
		none	
	Physico-chemical hazards	Combustible.	
	Human health dangers	Frequent persistent contact with the skin can cause skin irritation. High Pressure Applications. Injections through the skin resulting from contact with the product at high pressure constitute a major medical emergency.	
	Other hazards	none	

Ferdinand Bilstein GmbH + Co. KG

Date printed 01.04.2019, Revision 01.04.2019



Version 01

Page 2 / 9

SECTION 3: Composition / Information on ingredients

Product-type:

The product is a mixture.

	Range [%] Substance		
	80 - 95 Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract)		
	CAS: 64742-54-7, EINECS/ELINCS: 265-157-1, EU-INDEX: 649-467-00-8, Reg-No.: 01-2119484627-25-XXXX		
	0,5 - 3 Benzenepropanoic acid, 3,5-bis(1,1-dimethyl-ethyl)-4-hydroy-, C7-C9-branched alkyl ester		
	CAS: 125643-61-0, EINECS/ELINCS: 406-040-9, EU-INDEX: 607-530-00-7		
	GHS/CLP: Aquatic Chronic 4: H413		
	Comment on component parts	Substances of Very High Concern - SVHC: substances are not contained or are below 0.1%. For full text of H-statements: see SECTION 16.	
SEC	TION 4: First aid measures		
4.1	Description of first aid measures	1	
	General information	Change soaked clothing.	
	Inhalation	Not required under normal conditions. Ensure supply of fresh air. In the event of symptoms seek medical treatment.	
	Skin contact	When in contact with the skin, clean with soap and water. Consult a doctor if skin irritation persists.	
	Eye contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.	
	Ingestion	Seek medical advice immediately. Do not induce vomiting. Rinse out mouth and give plenty of water to drink.	
4.2			
		No information available.	
4.3	3 Indication of any immediate medical attention and special treatment needed		
		Treat symptomatically.	
		Forward this sheet to the doctor.	
		Note: High Pressure Applications Injections through the skin resulting from contact with the product at high pressure constitute a major medical emergency. Injuries may not appear serious at first but within a few hours tissue becomes swollen, discoloured and extremely painful with extensive subcutaneous necrosis. Surgical exploration should be undertaken without delay. Thorough and extensive debridement of the wound and underlying tissue is necessary to minimise tissue loss and prevent or limit permanent damage. Note that high pressure may force the product considerable distances along tissue planes.	
SEC	TION 5: Fire-fighting measures		
5.1	Extinguishing media		
	Suitable extinguishing media	foam, dry powder, water spray jet, carbon dioxide	
	Extinguishing media that must not be used	Full water jet	
5.2	Special hazards arising from the	substance or mixture	
		Risk of formation of toxic pyrolysis products. Carbon monoxide (CO)	

Date printed 01.04.2019, Revision 01.04.2019



Version 01 Pa

Page 3 / 9

5.3	Advice for firefighters	
		Use self-contained breathing apparatus.
		Fire residues and contaminated firefighting water must be disposed of in accordance within the local regulations. Cool containers at risk with water spray jet.
000		
SEC	TION 6: Accidental release measur	es
6.1	Personal precautions, protective	equipment and emergency procedures
		High risk of slipping due to leakage/spillage of product. Forms slippery surfaces with water.
6.2	Environmental precautions	
		Do not discharge into the drains/surface waters/groundwater.
6.3	Methods and material for contain	ment and cleaning up
		Take up mechanically.
		Dispose of absorbed material in accordance within the regulations.
6.4	Reference to other sections	
••••		See SECTION 8+13
SEC	TION 7: Handling and storage	
7.1	Precautions for safe handling	
		No special measures necessary if used correctly.
		Material will burn in fire.
		Do not eat, drink or smoke when using this product. Use barrier skin cream.
		Wash hands before breaks and after work.
		Cloths contaminated with product should not be kept in trouser pockets.
7.2 Conditions for safe storage, including any incompatibilities		ding any incompatibilities
		Keep only in original container.
		Prevent penetration into the ground.
		Do not store together with food and animal food/diet. Do not store together with oxidizing agents.
		Keep in a well-ventilated place. Keep container tightly closed.
7.3	Specific end use(s)	
		See product use, SECTION 1.2
SEC	TION 8: Exposure controls / persor	nal protection
8.1	Control parameters	
5.1	Ingredients with occupational	
	exposure limits to be monitored (GB)	

not applicable

PNEC

Substance
Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7
oral (food), 9,33 mg/kg.

Date printed 01.04.2019, Revision 01.04.2019



Version 01

Page 4 / 9

8.2 Exposure controls

Additional advice on system design	Ensure adequate ventilation on workstation. Measurement methods for taking workplace measurements must meet the performance requirements of DIN EN 482. For example, recommendations are given in the IFA's list of hazardous substances.
Eye protection	If there is a risk of splashing: safety glasses
Hand protection	The details concerned are recommendations. Please contact the glove supplier for further information. > 0,11 mm; Nitrile rubber, >480 min (EN 374-1/-2/-3).
Skin protection	Protective clothing (EN 340)
Other	Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of this equipment to chemicals should be ascertained with the respective supplier. Avoid contact with eyes and skin.
Respiratory protection	Not required under normal conditions.
Thermal hazards	none
Delimitation and monitoring of the environmental exposition	Comply with applicable environmental regulations limiting discharge to air, water and soil.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Form	pasty
Color	white
Odor	characteristic
Odour threshold	not applicable
pH-value	not applicable
pH-value [1%]	not applicable
Boiling point [°C]	> 280
Flash point [°C]	> 200
Flammability (solid, gas) [°C]	No information available.
Lower explosion limit	No information available.
Upper explosion limit	No information available.
Oxidising properties	no
Vapour pressure/gas pressure [kPa]	not applicable
Density [g/ml]	0,88 (15 °C / 59,0 °F)
Bulk density [kg/m³]	not applicable
Solubility in water	immiscible
Partition coefficient [n-octanol/water]	> 3,5
Viscosity	> 22,5 mm²/S (40°C)
Relative vapour density determined in air	No information available.
Evaporation speed	No information available.
Melting point [°C]	No information available.
Autoignition temperature [°C]	No information available.
Decomposition temperature [°C]	No information available.
Other information	

Drop point: 170°C - 196°C

SECTION 10: Stability and reactivity

10.1 Reactivity

9.2

No dangerous reactions known if used as directed.

Ferdinand Bilstein GmbH + Co. KG

Date printed 01.04.2019, Revision 01.04.2019



Version 01 P

Page 5 / 9

10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).

10.3 Possibility of hazardous reactions

Reactions with acids, alkalies and oxidizing agents.

10.4 Conditions to avoid

Strong heating. Keep away from open flames, hot surfaces and sources of ignition.

10.5 Incompatible materials

Oxidizing agent

10.6 Hazardous decomposition products

No hazardous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Product	
LD50, dermal, Rabbit: > 5 000 mg/kg bw.	
LD50, oral, Rat: > 5 000 mg/kg bw.	

Substance	
Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 647	42-54-7
.D50, oral, Rat: > 5000 mg/kg.	
.D50, dermal, Rabbit: > 5000 mg/kg.	
C50, inhalative, Rat: > 5 mg/l 4h.	

Serious eye damage/irritation	Based on the available information, the classification criteria are not fulfilled.
Skin corrosion/irritation	Based on the available information, the classification criteria are not fulfilled.
Respiratory or skin sensitisation	Based on the available information, the classification criteria are not fulfilled.
Specific target organ toxicity — single exposure	Based on the available information, the classification criteria are not fulfilled.
Specific target organ toxicity — repeated exposure	Based on the available information, the classification criteria are not fulfilled.
Mutagenicity	Based on the available information, the classification criteria are not fulfilled.
Reproduction toxicity	Based on the available information, the classification criteria are not fulfilled.
Carcinogenicity	Based on the available information, the classification criteria are not fulfilled.
Aspiration hazard	Based on the available information, the classification criteria are not fulfilled.
General remarks	
	Toxicological data of complete product are not available. The toxicity data listed pertaining to the ingredients are intended for those working in

The toxicity data listed pertaining to the ingredients are intended for those working in the medicinal professions, experts for occupational health and safety and toxicologists. The toxicity data pertaining to the ingredients were supplied by the manufacturers of raw materials.

SECTION 12: Ecological information

12.1 Toxicity

Substance	
Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7	
LC50, > 100 mg/l.	

Ferdinand Bilstein GmbH + Co. KG

Date printed 01.04.2019, Revision 01.04.2019



Version 01

Page 6 / 9

12.2 Persistence and degradability

Behaviour in environment compartments	not determined
Behaviour in sewage plant	not determined
Biological degradability	not determined

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

12.6 Other adverse effects

Ecological data of complete product are not available. Do not discharge product unmonitored into the environment. The toxicity data pertaining to the ingredients were supplied by the manufacturers of raw materials.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste material c It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

Product

	Coordinate disposal with the disposal contractor/authorities if necessary.
Waste no. (recommended)	120112* spent waxes and fats
Contaminated packaging	
	Uncontaminated packaging may be taken for recycling. Packaging that cannot be cleaned should be disposed of as for product.
Waste no. (recommended)	150110* 150102 150104

SECTION 14: Transport information

UN number Transport by land according to ADR/RID	not applicable
Inland navigation (ADN)	not applicable
Marine transport in accordance with IMDG	not applicable
	Transport by land according to ADR/RID Inland navigation (ADN) Marine transport in accordance with

Air transport in accordance with IATA not applicable

Date printed 01.04.2019, Revision 01.04.2019



Version 01

Page 7 / 9

14.2	UN proper shipping name Transport by land according to ADR/RID	NO DANGEROUS GOODS
	Inland navigation (ADN)	NO DANGEROUS GOODS
	Marine transport in accordance with IMDG	NOT CLASSIFIED AS "DANGEROUS GOODS"
	Air transport in accordance with IATA	NOT CLASSIFIED AS "DANGEROUS GOODS"
14.3	Transport hazard class(es) Transport by land according to ADR/RID	not applicable
	Inland navigation (ADN)	not applicable
	Marine transport in accordance with IMDG	not applicable
	Air transport in accordance with IATA	not applicable
14.4	Packing group Transport by land according to ADR/RID	not applicable
	Inland navigation (ADN)	not applicable
	Marine transport in accordance with IMDG	not applicable
	Air transport in accordance with IATA	not applicable
14.5	Environmental hazards Transport by land according to ADR/RID	no
	Inland navigation (ADN)	no
	Marine transport in accordance with IMDG	no
	Air transport in accordance with IATA	no
14.6	Special precautions for user	
	Relevant information under SECTION 6 t	io 8.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

not applicable

Date printed 01.04.2019, Revision 01.04.2019



Version 01

Page 8 / 9

SECTION 15: Regulatory information 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture **EEC-REGULATIONS** 1991/689 (2001/118); 2010/75; 2004/42; 648/2004; 1907/2006 (REACH); 1272/2008; 75/324/EEC (2016/2037/EC); (EU) 2015/830; (EU) 2016/131; (EU) 517/2014 TRANSPORT-REGULATIONS ADR (2019); IMDG-Code (2019, 39. Amdt.); IATA-DGR (2019) NATIONAL REGULATIONS (GB): EH40/2005 Workplace exposure limits (Second edition, published December 2011). - Observe employment restrictions no for people - VOC (2010/75/CE) 0 % 15.2 Chemical safety assessment not applicable **SECTION 16: Other information** 16.1 Hazard statements (SECTION 03) H413 May cause long lasting harmful effects to aquatic life. 16.2 Abbreviations and acronyms: ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure ATE = acute toxicity estimate CAS = Chemical Abstracts Service CLP = Classification, Labelling and Packaging DMEL = Derived Minimum Effect Level DNEL = Derived No Effect Level EC50 = Median effective concentration ECB = European Chemicals Bureau EEC = European Economic Community EINECS = European Inventory of Existing Commercial Chemical Substances ELINCS = European List of Notified Chemical Substances GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC-Code = International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk IC50 = Inhibition concentration, 50% IMDG = International Maritime Code for Dangerous Goods IUCLID = International Uniform ChemicaL Information Database LC50 = Lethal concentration, 50% LD50 = Median lethal dose LC0 = lethal concentration, 0% LOAEL = lowest-observed-adverse-effect level MARPOL = International Convention for the Prevention of Marine Pollution from Ships NOAEL = No Observed Adverse Effect Level NOEC = No Observed Effect Concentration PBT = Persistent, Bioaccumulative and Toxic substance PNEC = Predicted No-Effect Concentration REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals STP = Sewage Treatment Plant TLV®/TWA = Threshold limit value - time-weighted average TLV®STEL = Threshold limit value - short-time exposure limit VOC = Volatile Organic Compounds vPvB = very Persistent and very Bioaccumulative

16.3 Other information Classification procedure Modified position

none

Ferdinand Bilstein GmbH + Co. KG

Date printed 01.04.2019, Revision 01.04.2019

ebi bilstein

Version 01

Page 9 / 9