

# **MEYLE ZHM Synt**

Revision date: 04.04.2018

Product code: 014\_020\_6100-3-4

Page 1 of 10

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

# 1.1. Product identifier

MEYLE ZHM Synt

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Central hydraulic motor

# 1.3. Details of the supplier of the safety data sheet

Company name:	Meyle AG	
Street:	Merkurring 111	
Place:	D-22143 Hamburg	
Telephone:	+49 40 67 506 510	Telefax: +49 40 67 506 506
e-mail:	contact@meyle.com	
Internet:	www.meyle.com	
1.4. Emergency telephone	Giftnotruf Göttingen	
<u>number:</u>	+49 551 19 24 0 (24h)	

# **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

# Regulation (EC) No. 1272/2008

Hazard categories: Acute toxicity: Acute Tox. 4 Hazardous to the aquatic environment: Aquatic Chronic 3 Hazard Statements: Harmful if inhaled. Harmful to aquatic life with long lasting effects.

# 2.2. Label elements

# Regulation (EC) No. 1272/2008

# Hazard components for labelling

1-decene, dimer, hydrated

Signal word:

# Pictograms:



Warning

# Hazard statements

H332 H412	Harmful if inhaled. Harmful to aquatic life with long lasting effects.
Precautionary sta	atements
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
D071	Liss only outdoors or in a wall ventilated area

- P271 Use only outdoors or in a well-ventilated area.
- P273 Avoid release to the environment.
- P501 Dispose of contents/container to of the disposal according to local regulations.

#### Special labelling of certain mixtures FUH208 Contains P

-	Contains Propanoic acid, 3-[[bis(2-methylpropoxy)phosphinothioyl]thio]-2-methyl-(9Cl),
	reaction products of P-/N-/S-containing compounds with propionic acid. May produce an
	allergic reaction.



Meyle AG

according to Regulation (EC) No 1907/2006

# **MEYLE ZHM Synt**

Revision date: 04.04.2018

Product code: 014\_020\_6100-3-4

Page 2 of 10

## 2.3. Other hazards

No information available.

# **SECTION 3: Composition/information on ingredients**

# 3.2. Mixtures

#### Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification according to Regula	tion (EC) No. 1272/2008 [C	LP]	
68649-11-6	1-decene, dimer, hydrated			30 - < 60 %
	500-228-5		01-2119537268-33	
	Acute Tox. 4, Asp. Tox. 1; H332 H	304		
72623-87-1	Baseoil - unspecified, Lubricating	oils (petroleum), C20-50, h	drotreated neutral oil-based	15 - < 30 %
	276-738-4	649-483-00-5	01-2119474889-13	
	Asp. Tox. 1; H304			
128-39-2	Alkyl phenol	<0,5 %		
	204-884-0		01-2119490822-33	
	Skin Irrit. 2, Aquatic Acute 1 (M-Fa			
	2,6-Di-tert-butylphenol	<0,5 %		
	204-884-0		01-2119490822-33	
	Skin Irrit. 2, Aquatic Acute 1, Aqua	atic Chronic 1; H315 H400 H	1410	
268567-32-4	Propanoic acid, 3-[[bis(2-methylpr	<0,2 %		
	434-070-2		01-2119658068-31	
	Eye Dam. 1, Skin Sens. 1, Aquation	c Chronic 3; H318 H317 H4	12	
94270-86-7	reaction products of P-/N-/S-conta	<0,2 %		
	939-700-4		01-2119982395-25	
	Skin Irrit. 2, Skin Sens. 1, Aquatic H411	Acute 1 (M-Factor = 1), Aq	uatic Chronic 2; H315 H317 H400	

Full text of H and EUH statements: see section 16.

# SECTION 4: First aid measures

## 4.1. Description of first aid measures

# **General information**

Self-protection of the first aider

Change contaminated clothing. Do not put any product-impregnated cleaning rags into your trouser pockets.

#### After inhalation

Provide fresh air. If breathing is irregular or stopped, administer artificial respiration. Medical treatment necessary. In case of inhalation of aerosols/spray mist/splash spots: Consult physician. Avoid breathing dust/fume/gas/mist/vapours/spray. IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.

## After contact with skin

After contact with skin, wash immediately with polyethylene glycol, followed by plenty of water. Take off immediately all contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention. After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of water and soap.

Page 3 of 10



# Safety Data Sheet

according to Regulation (EC) No 1907/2006

# MEYLE ZHM Synt Product code: 014 020 6100-3-4

Revision date: 04.04.2018

If skin irritation or rash occurs: Get medical advice/attention.

## After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. In case of eye irritation consult an ophthalmologist.

In case of troubles or persistent symptoms, consult an ophthalmologist.

#### After ingestion

Rinse mouth immediately and drink plenty of water.

If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.

## 4.2. Most important symptoms and effects, both acute and delayed

No information available.

## 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically. Caution if victim vomits: Risk of aspiration! Aspiration hazard: Call a physician immediately.

## **SECTION 5: Firefighting measures**

# 5.1. Extinguishing media

# Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings. Carbon dioxide (CO2). Dry extinguishing powder. Foam.

#### Unsuitable extinguishing media

High power water jet.

## 5.2. Special hazards arising from the substance or mixture

Non-flammable. Special exposure hazards arising from the substance itself, combustion products, resulting gases:

Carbon dioxide (CO2). Carbon monoxide Sulphur oxides. Phosphorus oxides. Hydrogen sulphide (H2S).

## 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. carbon black In case of fire and/or explosion do not breathe fumes. In case of fire: Wear self-contained breathing apparatus.

#### Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Dispose of waste according to applicable legislation. Use water spray jet to protect personnel and to cool endangered containers.

# **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment. Special danger of slipping by leaking/spilling product. Wear suitable protective clothing.

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

## 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).

# 6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

## 6.4. Reference to other sections

#### Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13 In case of gas escape or of entry into waterways, soil or drains, inform the responsible



# **MEYLE ZHM Synt**

Revision date: 04.04.2018

Product code: 014\_020\_6100-3-4

Page 4 of 10

Meyle AG

authorities.

# **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

## Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray. Protect skin by using skin protective cream. Wash hands before breaks and after work.

Conditions to avoid: aerosol or mist generation.

# Advice on protection against fire and explosion

No special measures are necessary. When using do not smoke. Fire class: B (DIN-/EN-Norms: EN2)

# 7.2. Conditions for safe storage, including any incompatibilities

# Requirements for storage rooms and vessels

Keep container tightly closed. Keep away from heat. Keep/Store only in original container.

## Advice on storage compatibility

Do not store together with:Food and fodder, Oxidizing agents.

## Further information on storage conditions

If product enters soil, it will be mobile and may contaminate groundwater. Keep away from heat.

## 7.3. Specific end use(s)

Central hydraulic motor

# **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

# 8.2. Exposure controls



## Protective and hygiene measures

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink. When using do not eat, drink or smoke.

Protect skin by using skin protective cream. Keep away from food, drink and animal feedingstuffs. Do not breathe vapour.

## Eye/face protection

Wear eye/face protection. In fine dispersion/spraying/misting: Wear protective gloves/protective clothing.

#### Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Wear suitable gloves.



# **MEYLE ZHM Synt**

Revision date: 04.04.2018

Product code: 014\_020\_6100-3-4

Page 5 of 10

## Skin protection

Wear suitable protective clothing. In fine dispersion/spraying/misting: Wear protective gloves/protective clothing.

# **Respiratory protection**

In case of inadequate ventilation wear respiratory protection. Wear breathing apparatus if exposed to vapours/dusts/aerosols.

# **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties Physical state: liquid Colour: green Odour: characteristic Test method pH-Value: not applicable DIN 51369 Changes in the physical state Melting point: not determined Initial boiling point and boiling range: not determined ~-51 °C DIN ISO 3016 Pourpoint:: Flash point: >100 °C ISO 2592 Flammability Solid: not applicable Gas: not applicable Lower explosion limits: not determined Upper explosion limits: not determined No data available Ignition temperature: Auto-ignition temperature Solid: not applicable Gas: not applicable Decomposition temperature: not determined **Oxidizing properties** Not oxidizing. Vapour pressure: <0,1 hPa calculated. (at 20 °C) Density (at 15 °C): ~0,83 g/cm3 DIN 51757 practically insoluble Water solubility: (at 20 °C) Solubility in other solvents Soluble in hydrocarbons (mineral oil.) Partition coefficient: not determined Viscosity / kinematic: ~21 mm<sup>2</sup>/s DIN 51562 (at 40 °C) Vapour density: not determined Evaporation rate: not determined Solvent separation test: No data available Solvent content: none Solvents

# 9.2. Other information



# **MEYLE ZHM Synt**

Revision date: 04.04.2018

Product code: 014 020 6100-3-4

0

Page 6 of 10

Solid content:

none

# **SECTION 10: Stability and reactivity**

## 10.1. Reactivity

No data available

# 10.2. Chemical stability

No thermal decomposition if properly stored / handled /transported. Onset of decomposition at elevated temperatures (>300°C)

## 10.3. Possibility of hazardous reactions

possible with strong oxidizing agents. This product is stable under normal conditions. Hazardous reactions are unlikely.

#### 10.4. Conditions to avoid

No data available

# 10.5. Incompatible materials

Oxidizing agents, strong.

## 10.6. Hazardous decomposition products

none

## **Further information**

No thermal decomposition if properly stored / handled /transported.

# **SECTION 11: Toxicological information**

# 11.1. Information on toxicological effects

#### Toxicocinetics, metabolism and distribution

No data available.

#### Acute toxicity

# No data available.

Irritant effect on the respiratory tract: Do not breathe gas/vapour.

## ATEmix calculated

ATE (inhalative vapour) 18,51 mg/l

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	Method
68649-11-6	1-decene, dimer, hydrate	d				
	oral	LD50 mg/kg	>5000	Rat		
	dermal	LD50 mg/kg	>3000	Rabbit		
	inhalative vapour	ATE	11 mg/l			
	inhalative (4 h) aerosol	LC50	5 mg/l	Rat		
94270-86-7	reaction products of P-/N	-/S-containi	ng compound	Is with propionic acid		
	oral	LD50 mg/kg	>2000	Rat		

## Irritation and corrosivity

Irritant effect on the skin: none

Frequent and prolonged eye contact may cause eye irritation.

# **MEYLE ZHM Synt**

Revision date: 04.04.2018

Product code: 014\_020\_6100-3-4

Page 7 of 10

# Sensitising effects

Due to the very low concentration of sensitizing substances, the finished product can be assumed not to be skin-sensitizing.

# Carcinogenic/mutagenic/toxic effects for reproduction

The product is not classified.

## STOT-repeated exposure

Frequently or prolonged contact with skin may cause dermal irritation.

## Specific effects in experiment on an animal

No data available.

## Additional information on tests

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

# Practical experience

## Observations relevant to classification

Has de-greasing effect on the skin.

#### Other observations

No special hazards known when the product is properly used and the precautionary measures indicated are observed.

## Further information

No data available.

## **SECTION 12: Ecological information**

# 12.1. Toxicity

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment. No data available.

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method
68649-11-6	1-decene, dimer, hydrated	ł					
	Acute fish toxicity	LC50 mg/l	>1000	96 h	Oncorhynchus mykiss (Rainbow trout)		
	Acute algae toxicity	ErC50 mg/l	>1000	72 h	Selenastrum capricornutum		
	Acute crustacea toxicity	EC50 mg/l	>1000	48 h	Daphnia magna		
	Crustacea toxicity	NOEC	125 mg/l	21 d	Daphnia magna		
72623-87-1	87-1 Baseoil - unspecified, Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based						
	Acute fish toxicity	LC50 mg/l	> 100	96 h		OECD 203	
	Acute algae toxicity	ErC50 mg/l	>= 100	72 h		OECD 201	
	Acute crustacea toxicity	EC50 mg/l	> 10 000	48 h		OECD 202	
94270-86-7	reaction products of P-/N-	/S-containing	compound	s with pro	opionic acid		
	Acute fish toxicity	LC50 mg/l	1-10	96 h			
	Acute crustacea toxicity	EC50 mg/l	1-10	48 h			
	Acute bacteria toxicity	(50-100 mg	g/l)				

# 12.2. Persistence and degradability

Due to its low solubility in water the product is almost completely mechanically separated in biological sewage



# **MEYLE ZHM Synt**

Revision date: 04.04.2018

Product code: 014\_020\_6100-3-4

Page 8 of 10

plants. Poorly eliminated from water.

Not easily bio-degradable (according to OECD-criteria). Product is partially biodegradable. Significant residues remain.

Post-use oils must not be discharged into the sewer system or into surface waters nor must they be allowed to enter the soil.

CAS No	Chemical name			
	Method	Value	d	Source
	Evaluation			
68649-11-6	1-decene, dimer, hydrated			
	Biodegradable.	50	28	
	2,6-Di-tert-butylphenol			
	Zahn-Wellens	24%	28	
	Sturm	5%	28	

## 12.3. Bioaccumulative potential

No data available.

Do not allow uncontrolled discharge of product into the environment.

# Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
68649-11-6	1-decene, dimer, hydrated	> 6.5
72623-87-1	Baseoil - unspecified, Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based	> 6
	2,6-Di-tert-butylphenol	4,5
94270-86-7	reaction products of P-/N-/S-containing compounds with propionic acid	>6

## 12.4. Mobility in soil

No data available.

# 12.5. Results of PBT and vPvB assessment

The product has not been tested.

## 12.6. Other adverse effects

Aquatic organisms: No data available. Effects in sewage plants No data available. No data available.

## Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

# **SECTION 13: Disposal considerations**

# 13.1. Waste treatment methods

## Advice on disposal

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation. The waste codes stated are recommendations based on the expected use of the substance and may be re-assigned to other waste codes by the user, if applicable.

Do not empty into drains, dispose of this material and its container at hazardous or special waste collection point.

## Waste disposal number of waste from residues/unused products

130111 OIL WASTES AND WASTES OF LIQUID FUELS (EXCEPT EDIBLE OILS, AND THOSE IN CHAPTERS 05, 12 AND 19); waste hydraulic oils; synthetic hydraulic oils; hazardous waste

## Waste disposal number of used product

130111 OIL WASTES AND WASTES OF LIQUID FUELS (EXCEPT EDIBLE OILS, AND THOSE IN CHAPTERS 05, 12 AND 19); waste hydraulic oils; synthetic hydraulic oils; hazardous waste



# **MEYLE ZHM Synt**

Product code: 014\_020\_6100-3-4

Page 9 of 10

Meyle AG

Revision date: 04.04.2018

Lond from on out (ADD/DID)

## Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself. Dispose of this material and its container to hazardous or special waste collection point.

# **SECTION 14: Transport information**

Lanu transport (ADR/RID)	
<u>14.1. UN number:</u>	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.
Inland waterways transport (ADN)	
<u>14.1. UN number:</u>	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.
Marine transport (IMDG)	
<u>14.1. UN number:</u>	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.
Air transport (ICAO-TI/IATA-DGR)	
<u>14.1. UN number:</u>	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.
14.5. Environmental hazards	
ENVIRONMENTALLY HAZARDOUS:	no
14.6. Special precautions for user	
No dangerous good in sense of this tra	ansport regulation.
14.7. Transport in bulk according to Annex	
No dangerous good in sense of this tra	ansport regulation.
SECTION 15: Regulatory information	
15.1. Safety, health and environmental regu	lations/legislation specific for the substance or mixture
EU regulatory information	

## Additional information

According to EC directives or the corresponding national regulations the product does not have to be labelled.

# National regulatory informationEmployment restrictions:Observe restrictions to employment for juvenils according to the 'juvenile<br/>work protection guideline' (94/33/EC). Observe employment restrictions<br/>under the Maternity Protection Directive (92/85/EEC) for expectant or<br/>nursing mothers.Water contaminating class (D):2 - clearly water contaminating<br/>Causes allergic hypersensitivity reactions.



# Safety Data Sheet

according to Regulation (EC) No 1907/2006

# **MEYLE ZHM Synt**

Revision date: 04.04.2018

Product code: 014\_020\_6100-3-4

Page 10 of 10

# 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

# **SECTION 16: Other information**

# Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

## Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

Classification	Classification procedure			
Acute Tox. 4; H332	Calculation method			
Aquatic Chronic 3; H412	Calculation method			

#### Relevant H and EUH statements (number and full text)

H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H332	Harmful if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
EUH208	Contains Propanoic acid, 3-[[bis(2-methylpropoxy)phosphinothioyl]thio]-2-methyl-(9CI), reaction products of P-/N-/S-containing compounds with propionic acid. May produce an allergic reaction.

## Further Information

The information is based on present level of our knowledge. It does not, however, give assurances of product properties and establishes no contract legal rights. The receiver of our product is singulary responsible for adhering to existing laws and regulations. The above data are intended to describe our product in terms of any safety requirements to be observed. They reflect the state of our current knowledge and experience and shall not be construed as warranted characteristics. Any warranty for accuracy and completeness shall be expressly excluded.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)