



## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

**hydraulic fluid ZH-M**  
**Article number: 10 90 2615**  
**UFI: 9H77-Q0Q4-S006-M93J**

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1 Relevant uses

Hydraulics oil

#### 1.2.2 Uses advised against

None known.

### 1.3 Details of the supplier of the safety data sheet

**Company** SWAG Autoteile GmbH  
 Am Kiesberg 4-6  
 42117 Wuppertal / GERMANY  
 Phone +49 (0)202 26454-0  
 Fax +49 (0)202 26454-5000  
 Homepage [www.swag.de](http://www.swag.de)  
 E-mail [info@swag.de](mailto:info@swag.de)

#### Address enquiries to

**Technical information** [info@swag.de](mailto:info@swag.de)

**Safety Data Sheet** [info@swag.de](mailto:info@swag.de)

### 1.4 Emergency telephone number

**Advisory body** +49 (0)89-19240 (24h) (English)

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture [REGULATION (GB) CLP]

Asp. Tox. 1: H304 May be fatal if swallowed and enters airways.

### 2.2 Label elements

#### Hazard pictograms



The product is required to be labelled in accordance with regulation CLP.

#### Signal word

DANGER

#### Contains:

Distillates (petroleum), hydrotreated light naphthenic

#### Hazard statements

H304 May be fatal if swallowed and enters airways.

#### Precautionary statements

P101 If medical advice is needed, have product container or label at hand.  
 P102 Keep out of reach of children.  
 P301+P310 IF SWALLOWED: Immediately call a POISON CENTER / doctor.  
 P331 Do NOT induce vomiting.  
 P405 Store locked up.  
 P501 Dispose of contents / container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

### 2.3 Other hazards

#### Human health dangers

If swallowed or in the event of vomiting, risk of product entering the lungs.

#### Environmental hazards

Does not contain any PBT or vPvB substances.  
 Contains no ingredients with endocrine-disrupting properties.

#### Other hazards

No particular hazards known.

### SECTION 3: Composition / Information on ingredients

#### 3.1 Substances

not applicable

#### 3.2 Mixtures

The product is a mixture.

Range [%]	Substance
50 - < 100	Distillates (petroleum), hydrotreated light naphthenic CAS: 64742-53-6, EINECS/ELINCS: 265-156-6, EU-INDEX: 649-466-00-2, Reg-No.: 01-2119480375-34 GHS/CLP: Asp. Tox. 1: H304
10 - < 20	Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (containing < 3% DMSO-extract) CAS: 72623-86-0, EINECS/ELINCS: 276-737-9, EU-INDEX: 649-221-00-X, Reg-No.: 01-2119474878-16-XXXX GHS/CLP: Asp. Tox. 1: H304
1 - < 10	Distillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract) CAS: 64742-54-7, EINECS/ELINCS: 265-157-1, EU-INDEX: 649-467-00-8, Reg-No.: 01-2119484627-25-XXXX GHS/CLP: Asp. Tox. 1: H304
0.1 - < 1	Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene CAS: 68411-46-1, EINECS/ELINCS: 270-128-1, Reg-No.: 01-2119491299-23-XXXX GHS/CLP: Repr. 2: H361f

#### Comment on component parts

Substances of Very High Concern - SVHC: substances are not contained or are below 0.1%.  
For full text of H-statements: see SECTION 16.

### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

##### General information

Take off contaminated clothing and wash before reuse.

##### Inhalation

Ensure supply of fresh air.  
In the event of symptoms seek medical treatment.

##### Skin contact

When in contact with the skin, clean with soap and water.  
Consult a doctor if skin irritation persists.

##### Eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
If eye irritation persists: Get medical advice/attention.

##### Ingestion

Seek medical advice immediately.  
Do not induce vomiting.  
Rinse out mouth and give plenty of water to drink.

#### 4.2 Most important symptoms and effects, both acute and delayed

No information available.

#### 4.3 Indication of any immediate medical attention and special treatment needed

If swallowed or in the event of vomiting, risk of product entering the lungs.  
Treat symptomatically.  
Forward this sheet to your doctor.

### SECTION 5: Fire-fighting measures

#### 5.1 Extinguishing media

##### Suitable extinguishing media

Foam, dry powder, water spray jet, carbon dioxide

##### Extinguishing media that must not be used

Full water jet

## 5.2 Special hazards arising from the substance or mixture

Not combusted hydrocarbons.  
Risk of formation of toxic pyrolysis products.  
Carbon monoxide (CO)

## 5.3 Advice for firefighters

Use self-contained breathing apparatus.  
Do not inhale explosion and/or combustion gases.  
Cool containers at risk with water spray jet.  
Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

High risk of slipping due to leakage/spillage of product.  
Forms slippery surfaces with water.

### 6.2 Environmental precautions

Prevent spread over a wide area (e.g. by containment or oil barriers).  
Do not discharge into the drains/surface waters/groundwater.

### 6.3 Methods and material for containment and cleaning up

Take up with absorbent material (e.g. general-purpose binder).  
Dispose of absorbed material in accordance with the regulations.

### 6.4 Reference to other sections

See SECTION 8+13

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Avoid formation of aerosols.

Do not eat, drink or smoke when using this product.  
Use barrier skin cream.  
Wash hands before breaks and after work.  
Cloths contaminated with product should not be kept in trouser pockets.  
Contaminated work clothing should not be allowed out of the workplace.  
Take off contaminated clothing and wash before reuse.

### 7.2 Conditions for safe storage, including any incompatibilities

Keep only in original container.  
Prevent penetration into the ground.  
Do not store together with food and animal food/diet.  
Keep container tightly closed.  
Keep container in a well-ventilated place.

### 7.3 Specific end use(s)

See product use, SECTION 1.2



## SECTION 8: Exposure controls / personal protection

### 8.1 Control parameters

#### Ingredients with occupational exposure limits to be monitored (GB)

Substance
Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract)
CAS: 64742-54-7, EINECS/ELINCS: 265-157-1, EU-INDEX: 649-467-00-8, Reg-No.: 01-2119484627-25-XXXX
Long-term exposure: 5 mg/m <sup>3</sup> , oil mist
Short-term exposure (15-minute): 10 mg/m <sup>3</sup>

#### DNEL

Substance
Destillates (petroleum), hydrotreated light naphthenic, CAS: 64742-53-6
Industrial, inhalative, Long-term - local effects, 5.4 mg/m <sup>3</sup>
Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7
Industrial, inhalative, Long-term - systemic effects, 2.73 mg/m <sup>3</sup>
Industrial, inhalative, Long-term - local effects, 5.58 mg/m <sup>3</sup>
Industrial, dermal, Long-term - systemic effects, 970 µg/kg bw/day
general population, oral, Long-term - systemic effects, 740 µg/kg bw/day
general population, inhalative, Long-term - local effects, 1.19 mg/m <sup>3</sup>
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (containing < 3% DMSO-extract), CAS: 72623-86-0
Industrial, dermal, Long-term - systemic effects, 970 µg/kg bw/day
Industrial, inhalative, Long-term - systemic effects, 2.73 mg/m <sup>3</sup>
Industrial, inhalative, Long-term - local effects, 5.58 mg/m <sup>3</sup>
general population, oral, Long-term - systemic effects, 740 µg/kg bw/day
general population, inhalative, Long-term - local effects, 1.19 mg/m <sup>3</sup>
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene, CAS: 68411-46-1
Industrial, inhalative, Long-term - systemic effects, 0.31 mg/m <sup>3</sup> (AF= 50)
Industrial, dermal, Long-term - systemic effects, 0.44 mg/kg bw/d (AF= 200)
general population, oral, Long-term - systemic effects, 0.05 mg/kg bw/d (AF= 400)
general population, inhalative, Long-term - systemic effects, 0.08 mg/m <sup>3</sup> (AF= 100)
general population, dermal, Long-term - systemic effects, 0.22 mg/kg bw/d (AF= 400)

#### PNEC

Substance
Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7
oral (food), 9.33 mg/kg
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (containing < 3% DMSO-extract), CAS: 72623-86-0
oral (food), 9.33 mg/kg food
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene, CAS: 68411-46-1
oral (food), 833 µg/kg food
soil, 17.6 mg/kg soil dw
sediment (seawater), 44.6 µg/kg sediment dw
sediment (freshwater), 446 µg/kg sediment dw
sewage treatment plants (STP), 10 mg/L
seawater, 3.38 µg/L

freshwater, 33.8 µg/L
-----------------------

## 8.2 Exposure controls

<b>Additional advice on system design</b>	Ensure adequate ventilation on workstation. General exposure limit for oil mist should be noted. Measurement methods for taking workplace measurements must meet the performance requirements of DIN EN 482. For example, recommendations are given in the IFA's list of hazardous substances.
<b>Eye protection</b>	safety glasses (EN 166:2001)
<b>Hand protection</b>	The details concerned are recommendations. Please contact the glove supplier for further information. > 0.4 mm; Nitrile rubber, >480 min (EN 374-1/-2/-3). > 0.4 mm; Neoprene, >480 min (EN 374-1/-2/-3).
<b>Skin protection</b>	light protective clothing
<b>Other</b>	Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of this equipment to chemicals should be ascertained with the respective supplier. Avoid contact with eyes and skin.
<b>Respiratory protection</b>	Breathing apparatus in the event of aerosol or mist formation. Short term: filter apparatus, combination filter A-P1. (DIN EN 14387)
<b>Thermal hazards</b>	No information available.
<b>Delimitation and monitoring of the environmental exposition</b>	Comply with applicable environmental regulations limiting discharge to air, water and soil.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Physical state	liquid
Form	liquid
Color	light yellow
Odor	characteristic
Odour threshold	not relevant
pH-value	not applicable
pH-value [1%]	not applicable
Boiling point [°C]	No information available.
Flash point [°C]	152 (EN ISO 2592)
Flammability (solid, gas) [°C]	No information available.
Lower explosion limit	No information available.
Upper explosion limit	No information available.
Oxidising properties	no
Vapour pressure/gas pressure [kPa]	No information available.
Density [g/cm <sup>3</sup> ]	0.87 (DIN 51757) (15 °C / 59,0 °F)
Relative density	not determined
Bulk density [kg/m <sup>3</sup> ]	not applicable
Solubility in water	immiscible
Solubility other solvents	No information available.
Partition coefficient [n-octanol/water]	No information available.
Kinematic viscosity	17.1 mm <sup>2</sup> /s (40°C) (DIN 51562)
Relative vapour density	No information available.
Evaporation speed	No information available.
Melting point [°C]	No information available.
Auto-ignition temperature [°C]	No information available.
Decomposition temperature [°C]	No information available.
Particle characteristics	No information available.

### 9.2 Other information

none

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No dangerous reactions known if used as directed.

### 10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).

### 10.3 Possibility of hazardous reactions

Reactions with strong oxidizing agents.

### 10.4 Conditions to avoid

Strong heating.



### **10.5 Incompatible materials**

Oxidizing agent  
Strong acids.  
Strong basic compounds

### **10.6 Hazardous decomposition products**

No hazardous decomposition products known.

## SECTION 11: Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute oral toxicity

Product
oral, Based on the available information, the classification criteria are not fulfilled.
Substance
Distillates (petroleum), hydrotreated light naphthenic, CAS: 64742-53-6
LD50, oral, Rat, > 5000 mg/kg bw
Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7
LD50, oral, Rat, 5000 mg/kg bw
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (containing < 3% DMSO-extract), CAS: 72623-86-0
LD50, oral, Rat, 5000 mg/kg bw
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene, CAS: 68411-46-1
LD50, oral, Rat, >5000 mg/kg bw
NOAEL, oral, Rat, 25 mg/kg bw/day

#### Acute dermal toxicity

Product
dermal, Based on the available information, the classification criteria are not fulfilled.
Substance
Distillates (petroleum), hydrotreated light naphthenic, CAS: 64742-53-6
LD50, dermal, Rabbit, > 2000 mg/kg bw
Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7
LD50, dermal, Rabbit, 2000 - 5 00 mg/kg bw
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (containing < 3% DMSO-extract), CAS: 72623-86-0
LD50, dermal, Rabbit, 2000 - 5000 mg/kg bw
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene, CAS: 68411-46-1
LD50, dermal, Rat, >2000 mg/kg bw

#### Acute inhalational toxicity

Product
inhalative, Based on the available information, the classification criteria are not fulfilled.
Substance
Distillates (petroleum), hydrotreated light naphthenic, CAS: 64742-53-6
LC50, inhalative, Rat, > 5.53 mg/l/4h (dust/mist)
Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7
LC50, inhalative, Rat, 2.18 - 5.53 mg/L air, 4h
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (containing < 3% DMSO-extract), CAS: 72623-86-0
LC50, inhalative, Rat, 2.18 - 5.53 mg/L air, 4h

#### Serious eye damage/irritation

Based on the available information, the classification criteria are not fulfilled.

#### Skin corrosion/irritation

Based on the available information, the classification criteria are not fulfilled.



**Respiratory or skin sensitisation** Based on the available information, the classification criteria are not fulfilled.

**Specific target organ toxicity — single exposure** Based on the available information, the classification criteria are not fulfilled.

**Specific target organ toxicity — repeated exposure** Based on the available information, the classification criteria are not fulfilled.

Substance
Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7
NOAEL, dermal, Rabbit, 1000 mg/kg bw/day
NOAEL, dermal, Rat, 30 - 2000 mg/kg bw/day
NOAEC, inhalative, Rat, 980 mg/m <sup>3</sup> air
LOAEL, oral, Rat, 125 mg/kg bw/day
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (containing < 3% DMSO-extract), CAS: 72623-86-0
NOAEL, dermal, Rat, 30 - 2000 mg/kg bw/day
NOAEC, inhalative, Rat, 980 mg/m <sup>3</sup> air
LOAEL, oral, Rat, 125 mg/kg bw/day

**Mutagenicity** Based on the available information, the classification criteria are not fulfilled.

**Reproduction toxicity** Based on the available information, the classification criteria are not fulfilled.

**- Fertility**

Substance
Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7
NOAEL, oral, Rat, 1000 mg/kg bw/d (Effect on fertility), no adverse effect observed

**- Development**

Substance
Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7
NOAEL, oral, Rat, 1000 mg/kg bw/d (Effect on fertility), no adverse effect observed
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene, CAS: 68411-46-1
NOAEL, parenteral, 75 mg/kg bw/d, OECD 422

**Carcinogenicity** Based on the available information, the classification criteria are not fulfilled.

**Aspiration hazard** Based on the available information, the classification criteria are fulfilled.  
May be fatal if swallowed and enters airways.  
On basis of test data

**General remarks**

Toxicological data of complete product are not available.  
The toxicity data listed pertaining to the ingredients are intended for those working in the medicinal professions, experts for occupational health and safety and toxicologists.

**11.2 Information on other hazards**

**Endocrine disrupting properties** Contains no ingredients with endocrine-disrupting properties.

**Other information** none

## SECTION 12: Ecological information

### 12.1 Toxicity

Product
Based on the available information, the classification criteria are not fulfilled.
Substance
Distillates (petroleum), hydrotreated light naphthenic, CAS: 64742-53-6
LC50, (96h), fish, > 100 mg/l
IC50, (48h), Algae, > 100 mg/l
Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7
EL50, (48h), Invertebrates, 10 g/L
NOELR, (14d), fish, 1 mg/L
LL50, (96h), Invertebrates, 10 g/L
LL50, (96h), fish, 100 mg/L
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (containing < 3% DMSO-extract), CAS: 72623-86-0
NOELR, (14d), fish, 1 g/L
LL50, (96h), Invertebrates, 10 g/L
LL50, (96h), fish, 100 mg/L
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene, CAS: 68411-46-1
LC50, (96h), fish, 100 mg/L
EC50, (72h), Invertebrates, 100 mg/L
EC50, (48h), Invertebrates, 51 mg/L
EL10, (21d), Invertebrates, 1.69 mg/L

### 12.2 Persistence and degradability

<b>Behaviour in environment compartments</b>	not determined
<b>Behaviour in sewage plant</b>	not determined
<b>Biological degradability</b>	The product is slightly soluble in water. It can be largely eliminated from the water by abiotic processes, e.g. mechanical separation.

### 12.3 Bioaccumulative potential

No information available.

### 12.4 Mobility in soil

No information available.

### 12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

### 12.6 Endocrine disrupting properties

Contains no ingredients with endocrine-disrupting properties.

### 12.7 Other adverse effects

The toxicity data pertaining to the ingredients were supplied by the manufacturers of raw materials.



## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

#### Product

In according to RoHS!  
Coordinate disposal with the authorities if necessary.  
Dispose of as hazardous waste.

#### Waste no. (recommended)

130205\* mineral-based non-chlorinated engine, gear and lubricating oils  
130110\*

#### Contaminated packaging

Uncontaminated packaging may be taken for recycling.  
Packaging that cannot be cleaned should be disposed of as for product.

#### Waste no. (recommended)

150102  
150104  
150110\* packaging containing residues of or contaminated by hazardous substances

## SECTION 14: Transport information

### 14.1 UN number or ID number

Transport by land according to ADR/RID not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with IMDG not applicable

Air transport in accordance with IATA not applicable

### 14.2 UN proper shipping name

Transport by land according to ADR/RID NO DANGEROUS GOODS

Inland navigation (ADN) NO DANGEROUS GOODS

Marine transport in accordance with IMDG NOT CLASSIFIED AS "DANGEROUS GOODS"

Air transport in accordance with IATA NOT CLASSIFIED AS "DANGEROUS GOODS"

**14.3 Transport hazard class(es)**

Transport by land according to ADR/RID not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with IMDG not applicable

Air transport in accordance with IATA not applicable

**14.4 Packing group**

Transport by land according to ADR/RID not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with IMDG not applicable

Air transport in accordance with IATA not applicable

**14.5 Environmental hazards**

Transport by land according to ADR/RID no

Inland navigation (ADN) no

Marine transport in accordance with IMDG no

Air transport in accordance with IATA no

**14.6 Special precautions for user**

Relevant information under SECTION 6 to 8.

not applicable

**14.7 Maritime transport in bulk according to IMO instruments**

not applicable

**SECTION 15: Regulatory information****15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

<b>EEC-REGULATIONS</b>	2008/98/EC 2000/532/EC; 2010/75/EU; 2004/42/EC; (EC) 648/2004; (EC) 1907/2006 (REACH); (EU) 1272/2008; 75/324/EEC ((EC) 2016/2037); (EU) 2020/878; (EU) 2016/131; (EU) 517/2014
<b>TRANSPORT-REGULATIONS</b>	ADR (2023); IMDG-Code (2023, 41. Amdt.); IATA-DGR (2023)
<b>NATIONAL REGULATIONS (GB):</b>	EH40/2005 Workplace exposure limits (Second edition, published December 2011); UK REACH; GB CLP.
<b>- Observe employment restrictions for people</b>	Observe employment restrictions for mothers-to-be and nursing mothers. Observe employment restrictions for young people.
<b>- VOC (2010/75/CE)</b>	0 %



## 15.2 Chemical safety assessment

For this product a chemical safety assessment has not been carried out.

## SECTION 16: Other information

### 16.1 Hazard statements (SECTION 3)

H361f Suspected of damaging fertility.  
H304 May be fatal if swallowed and enters airways.

### 16.2 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route  
RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses  
ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure  
ATE = acute toxicity estimate  
CAS = Chemical Abstracts Service  
CLP = Classification, Labelling and Packaging  
DMEL = Derived Minimum Effect Level  
DNEL = Derived No Effect Level  
EC50 = Median effective concentration  
ECB = European Chemicals Bureau  
EEC = European Economic Community  
EINECS = European Inventory of Existing Commercial Chemical Substances  
EL50 = Median effective loading  
ELINCS = European List of Notified Chemical Substances  
EmS = Emergency Schedules  
GHS = Globally Harmonized System of Classification and Labelling of Chemicals  
IATA = International Air Transport Association  
IBC-Code = International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk  
IC50 = Inhibition concentration, 50%  
IMDG = International Maritime Code for Dangerous Goods  
IUCLID = International Uniform Chemical Information Database  
IVIS = In vitro irritation score  
LC50 = Lethal concentration, 50%  
LD50 = Median lethal dose  
LC0 = lethal concentration, 0%  
LOAEL = lowest-observed-adverse-effect level  
LL50 = Median lethal loading  
LQ = Limited Quantities  
MARPOL = International Convention for the Prevention of Marine Pollution from Ships  
NOAEL = No Observed Adverse Effect Level  
NOEC = No Observed Effect Concentration  
PBT = Persistent, Bioaccumulative and Toxic substance  
PNEC = Predicted No-Effect Concentration  
REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals  
STP = Sewage Treatment Plant  
TLV@TWA = Threshold limit value – time-weighted average  
TLV@STEL = Threshold limit value – short-time exposure limit  
VOC = Volatile Organic Compounds  
vPvB = very Persistent and very Bioaccumulative

### 16.3 Other information

#### Classification procedure

Asp. Tox. 1: H304 May be fatal if swallowed and enters airways. (On basis of test data)

#### Modified position

SECTION 3 been added: Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene

SECTION 3 been added: Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract)

SECTION 3 been added: Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (containing < 3% DMSO-extract)

**Safety Data Sheet (UK REACH) (GB)**

**hydraulic fluid ZH-M**

**Article number 10 90 2615**

**SWAG Autoteile GmbH**

**42117 Wuppertal**

Date printed 16.02.2023, Revision 16.02.2023



Version 12.0. Supersedes version: 11.0

Page 14 / 14