



SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

grease
Article number: 30 93 1942

1.2 Relevant identified uses of the substance or mixture and uses advised against

1.2.1 Relevant uses

Grease

1.2.2 Uses advised against

None known.

1.3 Details of the supplier of the safety data sheet

Company SWAG Autoteile GmbH
Am Kiesberg 4-6
42117 Wuppertal / GERMANY
Phone +49 (0)202 26454-0
Fax +49 (0)202 26454-5000
Homepage www.swag.de
E-mail info@swag.de

Address enquiries to

Technical information info@swag.de

Safety Data Sheet info@swag.de

1.4 Emergency telephone number

Advisory body +49 (0)89-19240 (24h) (English)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture [REGULATION (GB) CLP]

Aquatic Chronic 3: H412 Harmful to aquatic life with long lasting effects.

2.2 Label elements

The product is required to be labelled in accordance with regulation CLP.

Hazard pictograms none

Signal word none

Hazard statements H412 Harmful to aquatic life with long lasting effects.

Precautionary statements P273 Avoid release to the environment.
P501 Dispose of contents / container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

Special labelling Contains: Zinc naphthenate, 5,5'-Dithiodi-1,3,4-thiadiazole-2(3H)-thione. EUH208 May produce an allergic reaction.

2.3 Other hazards

Physico-chemical hazards No particular hazards known.

Human health dangers Frequent persistent contact with the skin can cause skin irritation.

Environmental hazards Does not contain any PBT or vPvB substances.
Contains no ingredients with endocrine-disrupting properties.

Other hazards none

SECTION 3: Composition / Information on ingredients

3.1 Substances

not applicable



3.2 Mixtures

The product is a mixture.

Range [%]	Substance
5 - < 10	Dilithium azelate
	CAS: 38900-29-7, EINECS/ELINCS: 254-184-4, Reg-No.: 01-2120119814-57-XXXX
	GHS/CLP: Acute Tox. 4: H302
1 - < 2.5	Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate)
	CAS: 4259-15-8, EINECS/ELINCS: 224-235-5, Reg-No.: 01-2119493635-27-XXXX
	GHS/CLP: Eye Dam. 1: H318 - Aquatic Chronic 2: H411 SCL [%]: >50 - 100: Eye Dam. 1: H318
0.25 - < 1	2,6-di-tert-butyl-p-cresol
	CAS: 128-37-0, EINECS/ELINCS: 204-881-4, Reg-No.: 01-2119555270-46-XXXX
	GHS/CLP: Aquatic Chronic 1: H410 - Aquatic Acute 1: H400, M-Factor (acute): 1, M-Factor (chronic): 1
0.1 - < 1	Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene
	CAS: 68411-46-1, EINECS/ELINCS: 270-128-1, Reg-No.: 01-2119491299-23-XXXX
	GHS/CLP: Repr. 2: H361f
0.1 - < 1	5,5'-Dithiodi-1,3,4-thiadiazole-2(3H)-thione
	CAS: 72676-55-2, EINECS/ELINCS: 276-763-0
	GHS/CLP: Skin Sens. 1: H317 - Aquatic Chronic 2: H411
0.1 - < 1	Hexanoic acid, 2-ethyl-, zinc salt, basic
	CAS: 85203-81-2, EINECS/ELINCS: 286-272-3, Reg-No.: 01-2119979093-30-XXXX
	GHS/CLP: Repr. 2: H361d - Eye Irrit. 2: H319 - Aquatic Chronic 3: H412
0.1 - < 1	Zinc naphthenate
	CAS: 84418-50-8, EINECS/ELINCS: 282-762-6, Reg-No.: 01-2119988500-34-XXXX
	GHS/CLP: Skin Sens. 1: H317 - Aquatic Chronic 3: H412

Comment on component parts

Substances of Very High Concern - SVHC: substances are not contained or are below 0.1%.
For full text of H-statements: see SECTION 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information	Change soaked clothing.
Inhalation	Ensure supply of fresh air. In the event of symptoms seek medical treatment.
Skin contact	When in contact with the skin, clean with soap and water. Consult a doctor if skin irritation persists.
Eye contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
Ingestion	Seek medical advice immediately. Do not induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

No information available.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.
Forward this sheet to your doctor.

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media	Foam, dry powder, water spray jet, carbon dioxide
Extinguishing media that must not be used	Full water jet



5.2 Special hazards arising from the substance or mixture

Risk of formation of toxic pyrolysis products.
Carbon monoxide (CO)

5.3 Advice for firefighters

Use self-contained breathing apparatus.
Fire residues and contaminated firefighting water must be disposed of in accordance within the local regulations.
Cool containers at risk with water spray jet.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

High risk of slipping due to leakage/spillage of product.
Forms slippery surfaces with water.

6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater.

6.3 Methods and material for containment and cleaning up

Take up mechanically.
Dispose of absorbed material in accordance within the regulations.

6.4 Reference to other sections

See SECTION 8+13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

No special measures necessary if used correctly.

Do not eat, drink or smoke when using this product.
Use barrier skin cream.
Wash hands before breaks and after work.
Cloths contaminated with product should not be kept in trouser pockets.

7.2 Conditions for safe storage, including any incompatibilities

Keep only in original container.
Prevent penetration into the ground.
Do not store together with food and animal food/diet.
Keep in a well-ventilated place.
Keep container tightly closed.

7.3 Specific end use(s)

See product use, SECTION 1.2



SECTION 8: Exposure controls / personal protection

8.1 Control parameters

Ingredients with occupational exposure limits to be monitored (GB)

Substance
2,6-di-tert-butyl-p-cresol
CAS: 128-37-0, EINECS/ELINCS: 204-881-4
Long-term exposure: 10 mg/m ³

DNEL

Substance
Dilithium azelate, CAS: 38900-29-7
Industrial, dermal, Long-term - local effects, 172 µg/cm ²
general population, dermal, Acute - systemic effects, 23 µg/cm ²
Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate), CAS: 4259-15-8
Industrial, inhalative, Long-term - systemic effects, 6.6 mg/m ³
Industrial, dermal, Long-term - systemic effects, 9.6 mg/kg bw/d
general population, inhalative, Long-term - systemic effects, 1.67 mg/m ³
general population, dermal, Long-term - systemic effects, 4.8 mg/kg bw/d
general population, oral, Long-term - systemic effects, 0.19 mg/kg bw/d
Hexanoic acid, 2-ethyl-, zinc salt, basic, CAS: 85203-81-2
Industrial, dermal, Long-term - systemic effects, 6.41 mg/kg bw/d
Industrial, inhalative, Long-term - systemic effects, 20.83 mg/m ³
general population, inhalative, Long-term - systemic effects, 10.42 mg/m ³
general population, oral, Long-term - systemic effects, 3.21 mg/kg bw/d
general population, dermal, Long-term - systemic effects, 3.21 mg/kg bw/d
2,6-di-tert-butyl-p-cresol, CAS: 128-37-0
Industrial, inhalative, Long-term - systemic effects, 5.8 mg/m ³
Industrial, dermal, Long-term - systemic effects, 8.3 mg/kg
general population, inhalative, Long-term - systemic effects, 1.74 mg/m ³
general population, dermal, Long-term - systemic effects, 5 mg/kg
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene, CAS: 68411-46-1
Industrial, inhalative, Long-term - systemic effects, 0.31 mg/m ³ (AF= 50)
Industrial, dermal, Long-term - systemic effects, 0.44 mg/kg bw/d (AF= 200)
general population, oral, Long-term - systemic effects, 0.05 mg/kg bw/d (AF= 400)
general population, inhalative, Long-term - systemic effects, 0.08 mg/m ³ (AF= 100)
general population, dermal, Long-term - systemic effects, 0.22 mg/kg bw/d (AF= 400)

PNEC

Substance
Dilithium azelate, CAS: 38900-29-7
freshwater, 23 µg/L
seawater, 2.3 µg/L
Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate), CAS: 4259-15-8
seawater, 4.6 µg/L (AF= 10 000)
sewage treatment plants (STP), 3.8 mg/L (AF= 100)
sediment (freshwater), 0.322 mg/kg dw



sediment (seawater), 0.0322 mg/kg dw
soil, 0.062 mg/kg dw
oral (food), 8.33 mg/kg food (AF=300)
freshwater, 4 µg/L (AF= 100)
Hexanoic acid, 2-ethyl-, zinc salt, basic, CAS: 85203-81-2
seawater, 0.036 mg/L
sediment (seawater), 0.637 mg/kg sediment dw
sewage treatment plants (STP), 71.7 mg/L
sediment (seawater), 6.37 mg/kg sediment dw
freshwater, 0.36 mg/L
soil, 1.06 mg/kg
2,6-di-tert-butyl-p-cresol, CAS: 128-37-0
soil, 1.04 mg/kg
sewage treatment plants (STP), 100 mg/l
sediment (freshwater), 1.29 mg/kg
oral (food), 16.7 mg/kg
seawater, 0.0004 mg/l
freshwater, 0.004 mg/l
Zinc naphthenate, CAS: 84418-50-8
freshwater, 6.39 µg/L
seawater, 0.64 µg/L
sewage treatment plants (STP), 147.73 µg/L
sediment (freshwater), 31.93 mg/kg Sediment dw
sediment (seawater), 3.19 mg/kg Sediment dw
soil, 6.38 mg/kg Boden dw
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene, CAS: 68411-46-1
oral (food), 833 µg/kg food
freshwater, 33.8 µg/L
seawater, 3.38 µg/L
sewage treatment plants (STP), 10 mg/L
sediment (freshwater), 446 µg/kg sediment dw
sediment (seawater), 44.6 µg/kg sediment dw
soil, 17.6 mg/kg soil dw

8.2 Exposure controls

Additional advice on system design	Ensure adequate ventilation on workstation. Measurement methods for taking workplace measurements must meet the performance requirements of DIN EN 482. For example, recommendations are given in the IFA's list of hazardous substances.
Eye protection	If there is a risk of splashing: safety glasses
Hand protection	The details concerned are recommendations. Please contact the glove supplier for further information. > 0.11 mm; Nitrile rubber, >480 min (EN 374-1/-2/-3).
Skin protection	Protective clothing (EN 340)
Other	Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of this equipment to chemicals should be ascertained with the respective supplier. Avoid contact with eyes and skin.
Respiratory protection	Not required under normal conditions.
Thermal hazards	none
Delimitation and monitoring of the environmental exposition	Comply with applicable environmental regulations limiting discharge to air, water and soil.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	Semi-solid
Form	pasty
Color	light brown
Odor	characteristic
Odour threshold	not relevant
pH-value	not applicable
pH-value [1%]	not applicable
Boiling point [°C]	No information available.
Flash point [°C]	not applicable
Flammability (solid, gas) [°C]	No information available.
Lower explosion limit	No information available.
Upper explosion limit	No information available.
Oxidising properties	no
Vapour pressure/gas pressure [kPa]	not applicable
Density [g/cm³]	1.15 (DIN 51757) (25°C / 77,0°F)
Relative density	not determined
Bulk density [kg/m³]	not applicable
Solubility in water	immiscible
Solubility other solvents	No information available.
Partition coefficient [n-octanol/water]	No information available.
Kinematic viscosity	NGLI 2
Relative vapour density	No information available.
Evaporation speed	No information available.
Melting point [°C]	No information available.
Auto-ignition temperature [°C]	No information available.
Decomposition temperature [°C]	No information available.
Particle characteristics	No information available.



9.2 Other information

none

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reactions known if used as directed.

10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).

10.3 Possibility of hazardous reactions

Reactions with acids, alkalies and oxidizing agents.

10.4 Conditions to avoid

Strong heating.

10.5 Incompatible materials

Oxidizing agent
Acids

10.6 Hazardous decomposition products

No hazardous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute oral toxicity

Product
ATE-mix, oral, > 2000 mg/kg bw
Substance
Dilithium azelate, CAS: 38900-29-7
LD50, oral, Rat, 300 mg/kg bw
Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate), CAS: 4259-15-8
LD50, oral, Rat, 3100 mg/kg bw
2,6-di-tert-butyl-p-cresol, CAS: 128-37-0
LD50, oral, Rat, > 5000 mg/kg bw (OECD 401)
NOEL, oral, Rat, 25 mg/kg/28d
Zinc naphthenate, CAS: 84418-50-8
LD50, oral, Rat, > 2000 mg/kg bw
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene, CAS: 68411-46-1
LD50, oral, Rat, >5000 mg/kg bw
NOAEL, oral, Rat, 25 mg/kg bw/day

Acute dermal toxicity

Product
dermal, Based on the available information, the classification criteria are not fulfilled.
Substance
Dilithium azelate, CAS: 38900-29-7
LD50, dermal, Rat, 2000 mg/kg bw
Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate), CAS: 4259-15-8
LD50, dermal, Rabbit, 5000 mg/kg bw
2,6-di-tert-butyl-p-cresol, CAS: 128-37-0
LD50, dermal, Rat, > 5000 mg/kg bw (OECD 402)
Zinc naphthenate, CAS: 84418-50-8
LD50, dermal, Rat, > 2000 mg/kg bw
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene, CAS: 68411-46-1
LD50, dermal, Rat, >2000 mg/kg bw

Acute inhalational toxicity

Product
inhalative, Based on the available information, the classification criteria are not fulfilled.
Substance
Zinc naphthenate, CAS: 84418-50-8
LC50, inhalative, Rat, > 0.42 mg/l/4h

Serious eye damage/irritation

CAS 4259-15-8 (< 50%) Slight irritant effect - does not require labelling.
Based on the available information, the classification criteria are not fulfilled.

Substance



Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate), CAS: 4259-15-8
--

Eye, Rabbit, OECD 405, corrosive

Zinc naphthenate, CAS: 84418-50-8

Eye, Rabbit, OECD 405, non-irritating

Skin corrosion/irritation

Based on the available information, the classification criteria are not fulfilled.

Substance

Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate), CAS: 4259-15-8
--

dermal, Rabbit, OECD 404, non-irritating
--

Zinc naphthenate, CAS: 84418-50-8

dermal, Rabbit, OECD 404, non-irritating
--

Respiratory or skin sensitisation

Toxicological data of complete product are not available.
 May produce an allergic reaction.
 Calculation method

Substance

Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate), CAS: 4259-15-8
--

dermal, Guinea pig, OECD 406, non-sensitizing

Zinc naphthenate, CAS: 84418-50-8

dermal, Guinea pig, OECD 406, sensitising

Specific target organ toxicity — single exposure

Based on the available information, the classification criteria are not fulfilled.

Specific target organ toxicity — repeated exposure

Based on the available information, the classification criteria are not fulfilled.

Substance

Dilithium azelate, CAS: 38900-29-7

NOAEL, dermal, Rat, 230 µg/cm ² (local effects), adverse effect observed

NOAEL, dermal, Rat, 298 mg/kg bw/day (systemic effects), no adverse effect observed

Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate), CAS: 4259-15-8
--

NOAEL, oral, Rat, 125 mg/kg bw/day

Zinc naphthenate, CAS: 84418-50-8

NOAEL, oral, Rat, 50 mg/kg bw/day

Mutagenicity

Based on the available information, the classification criteria are not fulfilled.

Substance

Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate), CAS: 4259-15-8
--

InVivo. OECD 474, negativ

InVitro, OECD 471, negativ

Zinc naphthenate, CAS: 84418-50-8

InVivo. OECD 474, negativ

InVitro, OECD 471, negativ

Reproduction toxicity

Based on the available information, the classification criteria are not fulfilled.

- Fertility

Substance

Dilithium azelate, CAS: 38900-29-7

NOAEL, Rat, 298.5 mg/kg bw/d (Effect on developmental toxicity, no adverse effect observed)

NOAEL, Rat, 298.5 mg/kg bw/d (Effect on fertility), no adverse effect observed
--



Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate), CAS: 4259-15-8
NOAEL, Rat, 30 mg/kg bw/day, OECD 421
Zinc naphthenate, CAS: 84418-50-8
NOAEL, oral, Rat, 188 mg/kg bw/day
NOAEL, oral, Rat, 250 mg/kg bw/day

- Development

Substance
Dilithium azelate, CAS: 38900-29-7
NOAEL, Rat, 298.5 mg/kg bw/d (Effect on developmental toxicity, no adverse effect observed)
NOAEL, Rat, 298.5 mg/kg bw/d (Effect on fertility), no adverse effect observed
Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate), CAS: 4259-15-8
NOAEL, Rat, 30 mg/kg bw/day, OECD 421
Zinc naphthenate, CAS: 84418-50-8
NOAEL, oral, Rat, 188 mg/kg bw/day
NOAEL, oral, Rat, 250 mg/kg bw/day
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene, CAS: 68411-46-1
NOAEL, parenteral, 75 mg/kg bw/d, OECD 422

Carcinogenicity

Based on the available information, the classification criteria are not fulfilled.

Aspiration hazard

Based on the available information, the classification criteria are not fulfilled.

General remarks

Toxicological data of complete product are not available.
The toxicity data listed pertaining to the ingredients are intended for those working in the medicinal professions, experts for occupational health and safety and toxicologists. The toxicity data pertaining to the ingredients were supplied by the manufacturers of raw materials.

11.2 Information on other hazards**Endocrine disrupting properties**

Contains no ingredients with endocrine-disrupting properties.

Other information

none



SECTION 12: Ecological information

12.1 Toxicity

Substance
Dilithium azelate, CAS: 38900-29-7
LC50, (96h), fish, 100 mg/L
EC50, (48h), Crustacea, 100 mg/L
EC50, (72h), Algae, 23 mg/L
Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate), CAS: 4259-15-8
EL50, (48h), Daphnia magna, 75 mg/l (OECD 202)
NOEC, (21d), Daphnia magna, 0.4 mg/l (OECD 211)
LL50, (96h), Rainbow trout, 4.4 mg/l (OECD 203)
Erl50, (72h), Scenedesmus subspicatus, 410 mg/l (OECD 201)
EbL50, (72h), Scenedesmus subspicatus, 240 mg/l (OECD 201)
2,6-di-tert-butyl-p-cresol, CAS: 128-37-0
LC50, (96h), Danio rerio, > 0.57 mg/l
EC50, (48h), Daphnia magna, > 0.17 mg/l
IC50, (72h), Desmodesmus subspicatus, > 0.42 mg/l
NOEC, (21d), Daphnia magna, > 0.39 mg/l
Zinc naphthenate, CAS: 84418-50-8
LC50, (4d), fish, 112 - 5620 µg/L
EC50, (48h), Invertebrates, 155 - 20 000 µg/L
EC50, (4d), Algae, 18.1 - 80.5 mg/L
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene, CAS: 68411-46-1
LC50, (96h), fish, 100 mg/L
EC50, (72h), Invertebrates, 100 mg/L
EC50, (48h), Invertebrates, 51 mg/L
EL10, (21d), Invertebrates, 1.69 mg/L

12.2 Persistence and degradability

Behaviour in environment compartments	not determined
Behaviour in sewage plant	not determined
Biological degradability	not determined

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

12.6 Endocrine disrupting properties

Contains no ingredients with endocrine-disrupting properties.



12.7 Other adverse effects

Ecological data of complete product are not available.

Do not discharge product unmonitored into the environment.

The toxicity data pertaining to the ingredients were supplied by the manufacturers of raw materials.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

Product

In according to RoHS!

Coordinate disposal with the disposal contractor/authorities if necessary.

Waste no. (recommended)

1201

Contaminated packaging

Uncontaminated packaging may be taken for recycling.

Packaging that cannot be cleaned should be disposed of as for product.

Waste no. (recommended)

150110* packaging containing residues of or contaminated by hazardous substances
150102
150104

SECTION 14: Transport information

14.1 UN number or ID number

Transport by land according to ADR/RID not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with IMDG not applicable

Air transport in accordance with IATA not applicable

14.2 UN proper shipping name

Transport by land according to ADR/RID NO DANGEROUS GOODS

Inland navigation (ADN) NO DANGEROUS GOODS

Marine transport in accordance with IMDG NOT CLASSIFIED AS "DANGEROUS GOODS"

Air transport in accordance with IATA NOT CLASSIFIED AS "DANGEROUS GOODS"

**14.3 Transport hazard class(es)**

Transport by land according to ADR/RID not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with IMDG not applicable

Air transport in accordance with IATA not applicable

14.4 Packing group

Transport by land according to ADR/RID not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with IMDG not applicable

Air transport in accordance with IATA not applicable

14.5 Environmental hazards

Transport by land according to ADR/RID no

Inland navigation (ADN) no

Marine transport in accordance with IMDG no

Air transport in accordance with IATA no

14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

14.7 Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

EEC-REGULATIONS 2008/98/EC 2000/532/EC; 2010/75/EU; 2004/42/EC; (EC) 648/2004; (EC) 1907/2006 (REACH); (EU) 1272/2008; 75/324/EEC ((EC) 2016/2037); (EU) 2020/878; (EU) 2016/131; (EU) 517/2014

TRANSPORT-REGULATIONS ADR (2023); IMDG-Code (2023, 41. Amdt.); IATA-DGR (2023)

NATIONAL REGULATIONS (GB): EH40/2005 Workplace exposure limits (Second edition, published December 2011); UK REACH; GB CLP.

- Observe employment restrictions for people no

- VOC (2010/75/CE) 0 %



15.2 Chemical safety assessment

not applicable

SECTION 16: Other information

16.1 Hazard statements (SECTION 3)

H400 Very toxic to aquatic life.
 H410 Very toxic to aquatic life with long lasting effects.
 H361f Suspected of damaging fertility.
 H319 Causes serious eye irritation.
 H361d Suspected of damaging the unborn child.

 H317 May cause an allergic skin reaction.
 H412 Harmful to aquatic life with long lasting effects.
 H411 Toxic to aquatic life with long lasting effects.
 H318 Causes serious eye damage.
 H302 Harmful if swallowed.

16.2 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route
 RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses
 ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure
 ATE = acute toxicity estimate
 CAS = Chemical Abstracts Service
 CLP = Classification, Labelling and Packaging
 DMEL = Derived Minimum Effect Level
 DNEL = Derived No Effect Level
 EC50 = Median effective concentration
 ECB = European Chemicals Bureau
 EEC = European Economic Community
 EINECS = European Inventory of Existing Commercial Chemical Substances
 EL50 = Median effective loading
 ELINCS = European List of Notified Chemical Substances
 EmS = Emergency Schedules
 GHS = Globally Harmonized System of Classification and Labelling of Chemicals
 IATA = International Air Transport Association
 IBC-Code = International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk
 IC50 = Inhibition concentration, 50%
 IMDG = International Maritime Code for Dangerous Goods
 IUCLID = International Uniform Chemical Information Database
 IVIS = In vitro irritation score
 LC50 = Lethal concentration, 50%
 LD50 = Median lethal dose
 LC0 = lethal concentration, 0%
 LOAEL = lowest-observed-adverse-effect level
 LL50 = Median lethal loading
 LQ = Limited Quantities
 MARPOL = International Convention for the Prevention of Marine Pollution from Ships
 NOAEL = No Observed Adverse Effect Level
 NOEC = No Observed Effect Concentration
 PBT = Persistent, Bioaccumulative and Toxic substance
 PNEC = Predicted No-Effect Concentration
 REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals
 STP = Sewage Treatment Plant
 TLV@/TWA = Threshold limit value – time-weighted average
 TLV@STEL = Threshold limit value – short-time exposure limit
 VOC = Volatile Organic Compounds
 vPvB = very Persistent and very Bioaccumulative

16.3 Other information

Classification procedure

Aquatic Chronic 3: H412 Harmful to aquatic life with long lasting effects. (Calculation method)



Modified position

SECTION 3 been added: Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene

SECTION 11 been added: Contains no ingredients with endocrine-disrupting properties.

SECTION 12 been added: Contains no ingredients with endocrine-disrupting properties.