SECTION 1: Identification of the substance/mixture and of the company/undertaking

Date printed 21.02.2023, Revision 21.02.2023



Version 12.0. Supersedes version: 11.0 Page 1 / 11

1.1	Product identifier		
		automatic transmission fluid (ATF) Article number: 30 93 4608, 30 93 8935, 30 93 8936, 30 93 8937	
1.2	Relevant identified uses of the su	ubstance or mixture and uses advised against	
1.2.1	1.2.1 Relevant uses		
		Lubricant	
123	2 Uses advised against		
1.2.2		None known.	
1.3	Details of the supplier of the safe		
	Company	SWAG Autoteile GmbH Am Kiesberg 4-6 42117 Wuppertal / GERMANY Phone +49 (0)202 26454-0 Fax +49 (0)202 26454-5000 Homepage www.swag.de E-mail info@swag.de	
	Address enquiries to		
	Technical information	info@swag.de	
	Safety Data Sheet	info@swag.de	
1.4	Emergency telephone number		
	Advisory body	+49 (0)89-19240 (24h) (English)	
SEC	TION 2: Hazards identification		
2.1	2.1 Classification of the substance or mixture [REGULATION (GB) CLP]		
		No classification.	
2.2	Label elements		
		The product is required to be labelled in accordance with regulation CLP.	
	Hazard pictograms	none	
	Signal word	none	
	Hazard statements	none	
	Precautionary statements	none	
	Special labelling	EUH210 Safety data sheet available on request.	
2.3	Other hazards		
	Environmental hazards	Does not contain any PBT or vPvB substances. Contains no ingredients with endocrine-disrupting properties.	
	Other hazards	No particular hazards known.	
SEC	TION 3: Composition / Information	n on ingredients	
3 1	Substances		

- 3.1 Substances
 - not applicable



Version 12.0. Supersedes version: 11.0 Page 2 / 11

3.2 Mixtures

Date printed 21.02.2023, Revision 21.02.2023

3.2	Mixtures			
	The product is a mixture.			
	Range [%]	Substance		
	50 - < 100	Lubricating oils (pe	(petroleum), C20-50, hydrotreated neutral oil-based	
	CAS: 72623-87-1, F GHS/CLP: Asp. To.		EINECS/ELINCS: 276-738-4, EU-INDEX: 649-483-00-5, Reg-No.: 01-2119474889-13-XXXX	
			эх. 1: Н304	
	Comment on co	emponent parts	Contains less than 3% w/w DMSO-extract (only for mineral oils) Substances of Very High Concern - SVHC: substances are not contained or are below 0.1% For full text of H-statements: see SECTION 16.	
EC	TION 4: First ai	d measures		
.1	Description of	first aid measures	S	
	General informa	ation	Take off contaminated clothing and wash before reuse.	
	Inhalation		Ensure supply of fresh air. In the event of symptoms seek medical treatment.	
	Skin contact		When in contact with the skin, clean with soap and water. Consult a doctor if skin irritation persists.	
	Eye contact		Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.	
	Ingestion		Do not induce vomiting. Seek medical advice immediately. Rinse out mouth and give plenty of water to drink.	
.2				
			Headache	
2	Indiantian of a		diast attention and an acial tractment needed	
.3	indication of a	iny immediate med	dical attention and special treatment needed Treat symptomatically.	
			Forward this sheet to your doctor.	
EC	TION 5: Fire-fig	hting measures		
.1	Extinguishing	media		
	Suitable extingu	uishing media	Foam, dry powder, water spray jet, carbon dioxide.	
	Extinguishing m be used	nedia that must not	Full water jet.	
5.2 Special hazards arising from the substance or mixture		ds arising from the	e substance or mixture	
			Risk of formation of toxic pyrolysis products. Carbon monoxide (CO)	
.3	Advice for fire	fighters		
			Do not inhale explosion and/or combustion gases. Use self-contained breathing apparatus.	
			Fire residues and contaminated firefighting water must be disposed of in accordance within the local regulations.	
EC	TION 6: Accide	ntal release measu	ures	
.1	Personal prec	autions, protective	e equipment and emergency procedures	
	•		Some risk of slipping due to spillage of product.	
			Some risk of slipping due to spillage of product.	

Some risk of slipping due to spillage of product. Forms slippery surfaces with water.



Date printed 21.02.2023, Revision 21.02.2023 Version 12.0. Supersedes version: 11.0 Page 3 / 11 6.2 Environmental precautions Prevent spread over a wide area (e.g. by containment or oil barriers). Do not discharge into the drains/surface waters/groundwater. Do not discharge into the subsoil/soil. Methods and material for containment and cleaning up 6.3 Take up with absorbent material (e.g. oil binder). Dispose of absorbed material in accordance within the regulations. Reference to other sections 6.4 See SECTION 8+13 **SECTION 7: Handling and storage** 7.1 Precautions for safe handling Avoid formation of aerosols. Use only in well-ventilated areas. The product is combustible. Do not eat, drink or smoke when using this product. After worktime and before work breaks the affected skin areas must be thoroughly cleaned. Use barrier skin cream. Take off contaminated clothing and wash before reuse. Contaminated work clothing should not be allowed out of the workplace. Cloths contaminated with product should not be kept in trouser pockets. 7.2 Conditions for safe storage, including any incompatibilities Keep only in original container. Prevent penetration into the ground. Do not store together with food and animal food/diet. Keep container in a well-ventilated place. Keep container tightly closed.

7.3 Specific end use(s)

See product use, SECTION 1.2

oral (food), 9.33 mg/kg food



42117 Wuppertal

Date printed 21.02.2023, Revision 21.02.2023

Version 12.0. Supersedes version: 11.0 Page 4 / 11

SECTION 8: Exposure controls / personal protection

8.1 Control parameters

Ingredients with occupational exposure limits to be monitored (GB)

not relevant

DNEL

PNEC

Lubricating oils (petroleum), C20-50	0, hydrotreated neutral oil-based, CAS: 72623-87-1	
Industrial, dermal, Long-term - syst	emic effects, 970 μg/kg bw/day	
Industrial, inhalative, Long-term - lo	ocal effects, 5.58 mg/m ³	
Industrial, inhalative, Long-term - sy	ystemic effects, 2.73 mg/m ³	
general population, inhalative, Long	g-term - systemic effects, 740 μg/kg bw/day	
general population, inhalative, Long	g-term - local effects, 1.19 mg/m ³	

8.2 Exposure controls

Exposure controls	
Additional advice on system design	Ensure adequate ventilation on workstation. General exposure limit for oil mist should be noted. Measurement methods for taking workplace measurements must meet the performance requirements of DIN EN 482. For example, recommendations are given in the IFA's list of hazardous substances.
Eye protection	Safety glasses. (EN 166:2001)
Hand protection	The details concerned are recommendations. Please contact the glove supplier for further information. In full contact: > 0.4 mm: Nitrile rubber, >120 min (EN 374-1/-2/-3).
Skin protection	light protective clothing
Other	Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of this equipment to chemicals should be ascertained with the respective supplier. Do not inhale gases/vapours/aerosols. Avoid contact with eyes and skin.
Respiratory protection	No special measures necessary.
Thermal hazards	No information available.
Delimitation and monitoring of the environmental exposition	Comply with applicable environmental regulations limiting discharge to air, water and soil.

Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1



Version 12.0. Supersedes version: 11.0 Page 5 / 11

Date printed 21.02.2023, Revision 21.02.2023

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	liquid
Form	liquid
Color	light brown
Odor	characteristic
Odour threshold	No information available.
pH-value	not applicable
pH-value [1%]	No information available.
Boiling point [°C]	not applicable
Flash point [°C]	200 (EN ISO 2592)
Flammability (solid, gas) [°C]	No information available.
Lower explosion limit	No information available.
Upper explosion limit	No information available.
Oxidising properties	no
Vapour pressure/gas pressure [kPa]	No information available.
Density [g/cm³]	0.84 15°C (DIN 51757)
Relative density	not determined
Bulk density [kg/m³]	not applicable
Solubility in water	immiscible
Solubility other solvents	No information available.
Partition coefficient [n-octanol/water]	No information available.
Kinematic viscosity	29.6 mm²/s (40°C) (DIN 53211/4)
Relative vapour density	No information available.
Evaporation speed	No information available.
Melting point [°C]	No information available.
Auto-ignition temperature [°C]	not applicable
Decomposition temperature [°C]	No information available.
Particle characteristics	No information available.

9.2 Other information

none

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reactions known if used as directed.

10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).

10.3 Possibility of hazardous reactions

No hazardous reactions known.

10.4 Conditions to avoid

Strong heating.



Date printed 21.02.2023, Revision 21.02.2023

Version 12.0. Supersedes version: 11.0 Page 6 / 11

10.5 Incompatible materials

Oxidizing agent Strong basic compounds Strong acids.

10.6 Hazardous decomposition products

No hazardous decomposition products known.



Version 12.0. Supersedes version: 11.0 Page 7 / 11

42117 Wuppertal

Date printed 21.02.2023, Revision 21.02.2023

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute oral toxicity

Product

oral, Based on the available information, the classification criteria are not fulfilled.

Substance Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1 LD50, oral, Rat, 5000 mg/kg bw

Acute dermal toxicity

Product

dermal, Based on the available information, the classification criteria are not fulfilled.

Substance

Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1

LD50, dermal, Rabbit, 2000 - 5000 mg/kg bw

Acute inhalational toxicity

Product inhalative, Based on the available information, the classification criteria are not fulfilled.

Substance
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1
LC50, inhalative, Rat, 2.18 - 5.53 mg/L air, 4h

Serious eye damage/irritation	Based on the available information, the classification criteria are not fulfilled.
Skin corrosion/irritation	Based on the available information, the classification criteria are not fulfilled.
Respiratory or skin sensitisation	Based on the available information, the classification criteria are not fulfilled.
Specific target organ toxicity — single exposure	Based on the available information, the classification criteria are not fulfilled.
Specific target organ toxicity — repeated exposure	Based on the available information, the classification criteria are not fulfilled.
Substance	

Jubstance
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1
NOAEL, dermal, Rat, 30 - 2000 mg/kg bw/day
NOAEC, inhalative, Rat, 980 mg/m ³ air
LOAEL, oral, Rat, 125 mg/kg bw/day

Mutagenicity	Based on the available information, the classification criteria are not fulfilled.	
Reproduction toxicity	Based on the available information, the classification criteria are not fulfilled.	
Carcinogenicity	Based on the available information, the classification criteria are not fulfilled.	
Aspiration hazard	Based on the available information, the classification criteria are not fulfilled.	
General remarks		
	Toxicological data of complete product are not available. The toxicity data listed pertaining to the ingredients are intended for those working in the medicinal professions, experts for occupational health and safety and toxicologists.	



Date printed 21.02.2023, Revision 21.02.2023

Version 12.0. Supersedes version: 11.0 Page 8 / 11

11.2 Information on other hazards

Endocrine disrupting properties	Contains no ingredients with endocrine-disrupting properties.
Other information	none

SECTION 12: Ecological information

12.1 Toxicity

Product Based on the available information, the classification criteria are not fulfilled.

Substance	
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1	
NOELR, (14d), fish, 1 g/L	
LL50, (4d), Invertebrates, 10 g/L	
LL50, (4d), fish, 100 mg/L	

12.2 Persistence and degradability

Behaviour in environment compartments	not determined
Behaviour in sewage plant	not determined
Biological degradability	not determined

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

12.6 Endocrine disrupting properties

Contains no ingredients with endocrine-disrupting properties.

12.7 Other adverse effects

Ecological data of complete product are not available. Do not discharge product unmonitored into the environment or into the drainage.



Version 12.0. Supersedes version: 11.0 Page 9 / 11

42117 Wuppertal

Date printed 21.02.2023, Revision 21.02.2023

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

	Product				
		In according to RoHS! Coordinate disposal with the authorities if necessary.			
	Waste no. (recommended)	130205* mineral-based non-chlorinated engine, gear and lubricating oils			
	Contaminated packaging				
		Uncontaminated packaging may be taken for recycling. Packaging that cannot be cleaned should be disposed of as for product.			
	Waste no. (recommended)	150102 150104 150110* packaging containing residues of or contaminated by hazardous substances			
SEC	SECTION 14: Transport information				
14.1	UN number or ID number				
	Transport by land according to ADR/RID	not applicable			
	Inland navigation (ADN)	not applicable			
	Marine transport in accordance with IMDG	not applicable			
	Air transport in accordance with IATA not applicable				
14.2	2 UN proper shipping name				
	Transport by land according to ADR/RID	NO DANGEROUS GOODS			
	Inland navigation (ADN)	NO DANGEROUS GOODS			
	Marine transport in accordance with IMDG	NOT CLASSIFIED AS "DANGEROUS GOODS"			
	Air transport in accordance with IATA	NOT CLASSIFIED AS "DANGEROUS GOODS"			

14.3	3 Transport hazard class(es)	
	Transport by land according to ADR/RID	not applicable
	Inland navigation (ADN)	not applicable
	Marine transport in accordance with IMDG	not applicable

Air transport in accordance with IATA not applicable



Date printed 21.02.2023, Revision 21.02.2023

Version 12.0. Supersedes version: 11.0 Page 10 / 11

14.4	Packing group	
	Transport by land according to ADR/RID	not applicable
	Inland navigation (ADN)	not applicable
	Marine transport in accordance with IMDG	not applicable
	Air transport in accordance with IATA	not applicable
14.5	Environmental hazards	
	Transport by land according to ADR/RID	no
	Inland navigation (ADN)	no
	Marine transport in accordance with IMDG	no
	Air transport in accordance with IATA	no
14.6	Special precautions for user	
		_

Relevant information under SECTION 6 to 8.

14.7 Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information

15.1	Safety, health and environmental regulations/legislation specific for the substance or mixture			
	EEC-REGULATIONS	2008/98/EC 2000/532/EC); 2010/75/EU; 2004/42/EC; (EC) 648/2004; (EC) 1907/2006 (REACH); (EU) 1272/2008; 75/324/EEC ((EC) 2016/2037); (EU) 2020/878; (EU) 2016/131; (EU) 517/2014		
	TRANSPORT-REGULATIONS	ADR (2023); IMDG-Code (2023, 41. Amdt.); IATA-DGR (2023)		
	NATIONAL REGULATIONS (GB):	EH40/2005 Workplace exposure limits (Second edition, published December 2011); UK REACH; GB CLP.		
	- Observe employment restrictions for people	no		
	- VOC (2010/75/CE)	not relevant		
15.2	5.2 Chemical safety assessment			
		For this product a chemical safety assessment has not been carried out.		
SECTION 16: Other information				

16.1 Hazard statements (SECTION 3)

H304 May be fatal if swallowed and enters airways.



Date printed 21.02.2023, Revision 21.02.2023

Version 12.0. Supersedes version: 11.0 Page 11 / 11

16.2 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route

RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses

ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure

ATE = acute toxicity estimate

CAS = Chemical Abstracts Service

CLP = Classification, Labelling and Packaging

DMEL = Derived Minimum Effect Level

DNEL = Derived No Effect Level

EC50 = Median effective concentration

ECB = European Chemicals Bureau

EEC = European Economic Community

EINECS = European Inventory of Existing Commercial Chemical Substances

EL50 = Median effective loading

ELINCS = European List of Notified Chemical Substances

EmS = Emergency Schedules

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC-Code = International Code for the Construction and Equipment of Ships carrying

Dangerous Chemicals in Bulk

IC50 = Inhibition concentration, 50%

IMDG = International Maritime Code for Dangerous Goods

- IUCLID = International Uniform ChemicaL Information Database
- IVIS = In vitro irritation score

LC50 = Lethal concentration, 50% LD50 = Median lethal dose

LC0 = lethal concentration, 0%

LOAEL = lowest-observed-adverse-effect level

LL50 = Median lethal loading

LQ = Limited Quantities

MARPOL = International Convention for the Prevention of Marine Pollution from Ships NOAEL = No Observed Adverse Effect Level

NOEC = No Observed Effect Concentration

PBT = Persistent, Bioaccumulative and Toxic substance

PNEC = Predicted No-Effect Concentration

REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals

STP = Sewage Treatment Plant

TLV®/TWA = Threshold limit value - time-weighted average

TLV®STEL = Threshold limit value - short-time exposure limit

VOC = Volatile Organic Compounds

vPvB = very Persistent and very Bioaccumulative

16.3 Other information

Classification procedure

Modified position

SECTION 11 been added: Contains no ingredients with endocrine-disrupting properties. SECTION 12 been added: Contains no ingredients with endocrine-disrupting properties.