

Page 1/9

## Safety data sheet according to 1907/2006/EC, Article 31

Version number 1 Printing date 23.06.2020 Revision: 23.06.2020

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: P900-RM12
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

- · Application of the substance / the mixture Antifreeze
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Hepu Autoteile GmbH

Am Kreuzweg 2

D-32689 Kalletal-Hohenhausen

Tel: +49 (0) 5264 6483-0 Fax: +49 (0) 5264 6483-33 E-Mail: Info@hepu.de

· Further information obtainable from:

**Product Safety Department** Tel: +49 (0) 5264 6483-0 Fax: +49 (0) 5264 6483-33

· 1.4 Emergency telephone number:

Informationszentrale gegen Vergiftungen

des Landes Nordrhein-Westfalen

Tel.: +49 (0) 228 / 19 240

## **SECTION 2: Hazards identification**

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



GHS08 health hazard

STOT RE 2 H373 May cause damage to the kidneys through prolonged or repeated exposure. Route of exposure: Oral.



Acute Tox. 4 H302 Harmful if swallowed.

Eye Irrit. 2 H319 Causes serious eye irritation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms





· Signal word Warning

(Contd. on page 2)



Page 2/9

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 23.06.2020 Version number 1 Revision: 23.06.2020

Trade name: P900-RM12

(Contd. of page 1)

#### · Hazard-determining components of labelling:

ethanediol

2,2'-oxybisethanol

#### · Hazard statements

H302 Harmful if swallowed.

H319 Causes serious eye irritation.

H373 May cause damage to the kidneys through prolonged or repeated exposure. Route of exposure: Oral.

#### · Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read label before use.

P260 Do not breathe mist/vapours/spray.
 P264 Wash thoroughly after handling.
 P280 Wear eye protection / face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.

### **SECTION 3: Composition/information on ingredients**

- · 3.2 Chemical characterisation: Mixtures
- **Description:** Mixture: consisting of the following components.

· Dangerous compone	ents:	
	ethanediol	38-48%
EINECS: 203-473-3	🕸 STOT RE 2, H373; 🗘 Acute Tox. 4, H302	
	2,2'-oxybisethanol	0 - 8%
EINECS: 203-872-2	🕸 STOT RE 2, H373; 🗘 Acute Tox. 4, H302	
		0.5 - <1.5%
EINECS: 221-625-7	🗞 Repr. 2, H361d; 📀 Eye Dam. 1, H318; 🕠 Skin Irrit. 2, H315	

<sup>·</sup> Additional information: For the wording of the listed hazard phrases refer to section 16.

### **SECTION 4: First aid measures**

- · 4.1 Description of first aid measures
- · General information:

Position and transport stably in side position.

Immediately remove any clothing soiled by the product.

Take affected persons out into the fresh air.

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Immediately wash with water and soap and rinse thoroughly.

Generally the product does not irritate the skin.

(Contd. on page 3)



Page 3/9

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 23.06.2020 Version number 1 Revision: 23.06.2020

Trade name: P900-RM12

(Contd. of page 2)

· After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing:

Do not induce vomiting; call for medical help immediately.

A person vomiting while laying on their back should be turned onto their side.

Rinse out mouth and then drink plenty of water.

· 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed

If swallowed or in case of vomiting, danger of entering the lungs.

## **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

Use fire extinguishing methods suitable to surrounding conditions.

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

Carbon monoxide (CO)

- · 5.3 Advice for firefighters
- · Protective equipment:

Wear fully protective suit.

Mouth respiratory protective device.

· Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

Cool endangered receptacles with water spray.

#### **SECTION 6: Accidental release measures**

#### · 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective clothing.

Use respiratory protective device against the effects of fumes/dust/aerosol.

Ensure adequate ventilation

Particular danger of slipping on leaked/spilled product.

- $\cdot$  6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

CD



Page 4/9

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 23.06.2020 Version number 1 Revision: 23.06.2020

Trade name: P900-RM12

(Contd. of page 3)

## **SECTION 7: Handling and storage**

#### · 7.1 Precautions for safe handling

Store in cool, dry place in tightly closed receptacles.

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- · Information about fire and explosion protection: Keep ignition sources away Do not smoke.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store only in the original receptacle.
- · Information about storage in one common storage facility: Store away from foodstuffs.
- · Further information about storage conditions: None.
- · 7.3 Specific end use(s) No further relevant information available.

## **SECTION 8: Exposure controls/personal protection**

- · Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

#### 107-21-1 ethanediol

WEL Short-term value: 104\*\* mg/m³, 40\*\* ppm Long-term value: 10\* 52\*\* mg/m³, 20\*\* ppm

Sk \*particulate \*\*vapour

## · DNELs

potassium 2-ethylhexanoate (CAS: 3164-85-0):

Industry - Inhalation; Long term systemic effects: 32 mg/m<sup>3</sup> Industry - Dermal; Long term systemic effects: 12 mg/m<sup>3</sup> Consumer - Inhalation; Long term systemic effects: 8 mg/m<sup>3</sup> Consumer - Dermal; Long term systemic effects: 6 mg/m<sup>3</sup> Consumer - Oral; Long term systemic effects: 2.5 mg/kg/day

Ethanediol (CAS: 107-21-1):

Industry Inhalation. Long Term Local Effects 35 mg/m<sup>3</sup> Industry Dermal Long Term Systemic Effects 106 mg/kg Consumer Inhalation. Long Term Local Effects 7 mg/m<sup>3</sup> Consumer Dermal Long Term Systemic Effects 53 mg/m<sup>3</sup>

#### · PNECs

potassium 2-ethylhexanoate (CAS: 3164-85-0):

Fresh water; 0.36 mg/l Marine water; 0.036 mg/l Intermittent release; 0.493 mg/l

STP; 71.7 mg/l

Sediment (Freshwater); 6.37 mg/l Sediment (Marinewater); 0.637 mg/l

Soil; 1.06 mg/kg

Ethanediol (CAS: 107-21-1):

Freshwater 10 mg/l Marinewater 1 mg/l

(Contd. on page 5)



Page 5/9

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 23.06.2020 Version number 1 Revision: 23.06.2020

Trade name: P900-RM12

(Contd. of page 4)

STP 199.5 mg/l Sediment Freshwater 20.9 mg/kg Soil 1.53 mg/kg

#### · 8.2 Exposure controls

- · Personal protective equipment:
- · General protective and hygienic measures:

Clean skin thoroughly immediately after handling the product.

Do not eat, drink, smoke or sniff while working.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

#### · Respiratory protection:

Filter A/P2

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

### · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### · Material of gloves

PVA gloves

Nitrile rubber, NBR

Butyl rubber, BR

Neoprene gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

### · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

#### · Eye protection:



Tightly sealed goggles

· **Body protection:** Protective work clothing

GB



Page 6/9

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 23.06.2020 Version number 1 Revision: 23.06.2020

Trade name: P900-RM12

(Contd. of page 5)

	(Contd. of page
SECTION 9: Physical and chemi	ical properties
· 9.1 Information on basic physical and c	chemical properties
· General Information	r r
· Appearance:	
Form:	Fluid
Colour:	Red
· Odour:	Mild
· Odour threshold:	Not determined.
· pH-value:	Not determined.
· Change in condition	
Melting point/freezing point:	Undetermined.
Initial boiling point and boiling range	: Undetermined.
· Flash point:	Not applicable.
· Flammability (solid, gas):	Not applicable.
· Decomposition temperature:	Not determined.
· Auto-ignition temperature:	Product is not selfigniting.
· Explosive properties:	Product does not present an explosion hazard.
· Explosion limits:	
Ûpper:	Not determined.
· Vapour pressure:	Not determined.
· Density at 20 °C:	~1.07 g/cm³
· Relative density	Not determined.
· Vapour density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with	
water:	Fully miscible.
· Partition coefficient: n-octanol/water:	Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
· Solvent content:	
VOC (EC)	2.99 %
9.2 Other information	No further relevant information available.

## **SECTION 10: Stability and reactivity**

- $\cdot$  10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- $\cdot$  Thermal decomposition / conditions to be avoided:

To avoid thermal decomposition do not overheat.

No decomposition if used and stored according to specifications.

No decomposition if used according to specifications.

(Contd. on page 7)



Page 7/9

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 23.06.2020 Version number 1 Revision: 23.06.2020

Trade name: P900-RM12

(Contd. of page 6)

- 10.3 Possibility of hazardous reactions Reacts with acids, alkalis and oxidising agents.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products:

Carbon monoxide Carbon dioxide

## **SECTION 11: Toxicological information**

- · 11.1 Information on toxicological effects
- · Acute toxicity

Harmful if swallowed.

. I.D/I	C50x	zalnec	relevan	t for	classif	fication	•

Oral	ATE	<2,000 mg/kg (ATE)

107-21-		
Oral	LD50	5,840 mg/kg (rat)
Dermal	LD50	5,840 mg/kg (rat) 9,530 mg/kg (rabbit)

## 3164-85-0 potassium 2-ethylhexanoate

		2,043 mg/kg (rat)
Dermal	LD50	>2,000 mg/kg (rat)

- · Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- $\cdot \ Serious \ eye \ damage/irritation$

Causes serious eye irritation.

- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity

Reproductive Toxicity - Fertility

Fertility: Dose Level: >1000 mg/kg Oral Rat P

Not expected to be a reproductive toxicant

- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure

May cause damage to the kidneys through prolonged or repeated exposure. Route of exposure: Oral.

· Aspiration hazard Based on available data, the classification criteria are not met.

#### **SECTION 12: Ecological information**

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability Easily biodegradable
- · 12.3 Bioaccumulative potential

Due to the distribution coefficient n-octanol/water an accumulation in organisms is not expected.

• 12.4 Mobility in soil No further relevant information available.

(Contd. on page 8)



Page 8/9

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 23.06.2020 Version number 1 Revision: 23.06.2020

Trade name: P900-RM12

(Contd. of page 7)

- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

- Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

## **SECTION 13: Disposal considerations**

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· European waste catalogue

16 01 14\* antifreeze fluids containing dangerous substances

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport informa	ntion	
· 14.1 UN-Number · ADR, ADN, IMDG, IATA	Void	
· 14.2 UN proper shipping name · ADR, ADN, IMDG, IATA	Void	
· 14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA · Class	Void	
· 14.4 Packing group · ADR, IMDG, IATA	Void	
· 14.5 Environmental hazards: · Marine pollutant:	No	
· 14.6 Special precautions for user	Not applicable.	
· 14.7 Transport in bulk according to Ann Marpol and the IBC Code	nex II of Not applicable.	
· UN "Model Regulation":	Void	

## **SECTION 15: Regulatory information**

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.

(Contd. on page 9)



Page 9/9

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 23.06.2020 Version number 1 Revision: 23.06.2020

Trade name: P900-RM12

(Contd. of page 8)

- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Relevant phrases

H302 Harmful if swallowed.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H361d Suspected of damaging the unborn child.

H373 May cause damage to the kidneys through prolonged or repeated exposure. Route of exposure: Oral.

#### · Department issuing SDS: Product safety department

#### · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 4: Acute toxicity - oral – Category 4

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Repr. 2: Reproductive toxicity – Category 2

STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2

GB