

Page 1/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 23.06.2020

Version number 1


Revision: 23.06.2020

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: P999-G12-Superplus
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture Antifreeze
- · 1.3 Details of the supplier of the safety data sheet · Manufacturer/Supplier: Hepu Autoteile GmbH Am Kreuzweg 2 D-32689 Kalletal-Hohenhausen Tel: +49 (0) 5264 6483-0 Fax: +49 (0) 5264 6483-33 E-Mail: Info@hepu.de
- · Further information obtainable from: Product Safety Department Tel: +49 (0) 5264 6483-0 Fax: +49 (0) 5264 6483-33
- 1.4 Emergency telephone number: Informationszentrale gegen Vergiftungen des Landes Nordrhein-Westfalen Tel.: +49 (0) 228 / 19 240

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



H361d Suspected of damaging the unborn child. Repr. 2 May cause damage to the kidneys through prolonged or repeated exposure. Route of STOT RE 2 H373 exposure: Oral.

GHS07

Acute Tox. 4 H302 Harmful if swallowed.

· 2.2 Label elements

- · Labelling according to Regulation (EC) No 1272/2008
- The product is classified and labelled according to the CLP regulation.
- · Hazard pictograms



· Signal word Warning

(Contd. on page 2)



Page 2/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 23.06.2020

Version number 1

Revision: 23.06.2020

Trade name: P999-G12-Superplus

	(Contd. of page 1
· Hazard-	determining components of labelling:
ethanedic	
sodium 2	-ethylhexanoate
· Hazard	statements
H302 H	armful if swallowed.
H361d S	uspected of damaging the unborn child.
	lay cause damage to the kidneys through prolonged or repeated exposure. Route of exposure: Oral.
	onary statements
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P103	Read label before use.
P260	Do not breathe mist/vapours/spray.
P264	Wash thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P308+P3	13 IF exposed or concerned: Get medical advice/attention.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations
· 2.3 Othe	r hazards
· Results of	of PBT and vPvB assessment
· PBT: No	t applicable.
• vPvB: N	ot applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

 \cdot **Description:** Mixture: consisting of the following components.

· Dangerous compone	ents:		
CAS: 107-21-1	ethanediol	🚸 STOT RE 2, H373; 🔶 Acute Tox. 4, H302	80 - 98%
EINECS: 203-473-3			
CAS: 19766-89-3	sodium 2-ethylhexanoate	🚸 Repr. 2, H361d	3 - <5%
EINECS: 243-283-8			
A 11141		listed becaud whenever we few to exertise 16	

· Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

- · General information: Immediately remove any clothing soiled by the product.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing:

Do not induce vomiting; call for medical help immediately.

- A person vomiting while laying on their back should be turned onto their side.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.

(Contd. on page 3)

GB



Printing date 23.06.2020

Version number 1

Revision: 23.06.2020

(Contd. of page 2)

Trade name: P999-G12-Superplus

· 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:
- CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

In case of fire, the following can be released:

- · 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.
- · Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

SECTION 6: Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures Keep away from ignition sources. Particular danger of slipping on leaked/spilled product. · 6.2 Environmental precautions: Prevent from spreading (e.g. by damming-in or oil barriers). Keep contaminated washing water and dispose of appropriately. Dilute with plenty of water. Do not allow to enter sewers/ surface or ground water. · 6.3 Methods and material for containment and cleaning up: Dispose of the material collected according to regulations. Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13. Ensure adequate ventilation. · 6.4 Reference to other sections

 - See Section 7 for information on safe handling.
 - See Section 8 for information on personal protection equipment.
 - See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

- Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
- · Information about fire and explosion protection: Protect against electrostatic charges. Keep ignition sources away - Do not smoke.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.

(Contd. on page 4)

Page 3/8

GB



Printing date 23.06.2020

Safety data sheet according to 1907/2006/EC, Article 31

Version number 1

Revision: 23.06.2020

Trade name: P999-G12-Superplus

(Contd. of page 3)

• Further information about storage conditions: Store under lock and key and out of the reach of children. • 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see item 7.

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

107-21-1 ethanediol

WEL Short-term value: 104** mg/m³, 40** ppm Long-term value: 10* 52** mg/m³, 20** ppm Sk *particulate **vapour

· 8.2 Exposure controls

- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

· Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Filter A/P2

· Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

• Material of gloves PVC gloves

Nitrile rubber, NBR

Neoprene gloves

Natural rubber, NR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Goggles recommended during refilling

SECTION 9: Physical and chemical properties					
 General Information 	physical and chemical properties				
 Appearance: Form: 	Fluid				
Colour:	Red				
· Odour:	Mild				
		(Contd. on page 5)			

Page 4/8



Page 5/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 23.06.2020

Version number 1

Revision: 23.06.2020

Trade name: P999-G12-Superplus

		(Contd. of page 4
· Odour threshold:	Not determined.	
· pH-value:	8.4 - 8.55	
 Change in condition Melting point/freezing point: Initial boiling point and boiling range 	-18 °C : 180 °C	
· Flash point:	122 °C	
· Flammability (solid, gas):	Not applicable.	
· Ignition temperature:	410 °C	
· Decomposition temperature:	Not determined.	
· Auto-ignition temperature:	Product is not selfigniting.	
· Explosive properties:	Product does not present an explosion hazard.	
· Explosion limits: Upper:	Not determined.	
· Vapour pressure at 20 °C:	0.08 hPa	
 Density at 20 °C: Relative density at 15 °C Vapour density Evaporation rate 	1.114 g/cm ³ 1.1 >1 Not determined.	
 Solubility in / Miscibility with water: 	Fully miscible.	
· Partition coefficient: n-octanol/water:	Not determined.	
· Viscosity: Dynamic: Kinematic:	Not determined. Not determined.	
 Solvent content: VOC (EC) 9.2 Other information 	0.00 % No further relevant information available.	

SECTION 10: Stability and reactivity

- 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used and stored according to specifications. No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions Explosive reaction with oxidising agents such as calcium chlorate and or peroxides. Reacts with strong acids and oxidising agents.
- \cdot 10.4 Conditions to avoid No further relevant information available.
- \cdot 10.5 Incompatible materials: No further relevant information available.

(Contd. on page 6)

GB



Printing date 23.06.2020

Version number 1

Revision: 23.06.2020

Trade name: P999-G12-Superplus

· 10.6 Hazardous decomposition products: Aldehyde

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- Acute toxicity
- Harmful if swallowed.
- · LD/LC50 values relevant for classification:
- Oral LD50 1718 mg/kg (rat)

107-21-1 ethanediol

Oral LD50 5840 mg/kg (rat)

Dermal LD50 9530 mg/kg (rabbit)

· Primary irritant effect:

- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- \cdot Serious eye damage/irritation Based on available data, the classification criteria are not met.
- \cdot Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- \cdot CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity
- Suspected of damaging the unborn child.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure

May cause damage to the kidneys through prolonged or repeated exposure. Route of exposure: Oral.

· Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

· 12.1 Toxicity

- Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability Easily biodegradable
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- \cdot Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. • 12.5 Results of PBT and vPvB assessment

- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- 12.6 Other adverse effects No further relevant information available.

(Contd. on page 7)

(Contd. of page 5)

Page 6/8



Revision: 23.06.2020

Printing date 23.06.2020

Version number 1

Trade name: P999-G12-Superplus

(Contd. of page 6)

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

 $\cdot \ \textbf{Recommendation}$

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· European waste catalogue

16 01 14* antifreeze fluids containing dangerous substances

· Uncleaned packaging:

- Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport informa	tion	
· 14.1 UN-Number · ADR, ADN, IMDG, IATA	Void	
 · 14.2 UN proper shipping name · ADR, ADN, IMDG, IATA 	Void	
· 14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA · Class	Void	
 14.4 Packing group ADR, IMDG, IATA 	Void	
 · 14.5 Environmental hazards: · Marine pollutant: 	No	
· 14.6 Special precautions for user	Not applicable.	
· 14.7 Transport in bulk according to Ann Marpol and the IBC Code	nex II of Not applicable.	
· UN "Model Regulation":	Void	

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

(Contd. on page 8)

GB

Page 7/8



Version number 1

Revision: 23.06.2020

Printing date 23.06.2020 Trade name: P999-G12-Superplus (Contd. of page 7) · Relevant phrases H302 Harmful if swallowed. H361d Suspected of damaging the unborn child. H373 May cause damage to the kidneys through prolonged or repeated exposure. Route of exposure: Oral. · Department issuing SDS: Product safety department · Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 4: Acute toxicity - oral - Category 4 Repr. 2: Reproductive toxicity - Category 2 STOT RE 2: Specific target organ toxicity (repeated exposure) - Category 2 GB

Page 8/8