4 Puertas, Doors

Del. Dcho/Izq, Front Rh/Lh



101313 - 101314



INSTRUCCIONES DE MONTAJE

Para instalar correctamente el elevalunas, haga lo siguiente:

- a) Desmonte el panel puerta con cuidado y extraiga el antiguo elevalunas, debe desconectarlo mecánicamente y eléctricamente.
- b) Introduzca el elevalunas de recambio en la puerta en el espacio específico "1".
- c) Fije la guia del elevalunas en la puerta en los puntos "2" y el motor en los puntos "3".
- d) Conecte el elevalunas eléctricamente. Si la conexión eléctrica del elevalunas no es compatible con la del vehículo, siga las instrucciones para la conexión eléctrica.
- e) Enganche el cristal en el elevalunas.
- f) Controle el funcionamiento general. Monte de nuevo el panel de la puerta.

Gracias por haber elegido nuestros productos.



ASSEMBLY INSTRUCTIONS


To install the window regulator:

- a) Disassemble the door: carefully disconnect the old window regulator mechanically and electrically and remove it.
- b) Place the new window regulator in the door through the opening "1".
- d) Connect the window regulator to the car's electrics. If the window regulator's electrics are not compatible withthose of the car, follow the instructions for the electrical connection.
- e) Attach the car window glass to the window regulator.
- f) Check overall functioning: reassemble the door.

Thank you for choosing our products.



Nuestro elevalunas Our window regulator



Puerta lado izquierdo, Left front door