



VCA Headquarters

1 The Eastgate Office Centre
Eastgate Road
Bristol, BS5 6XX
United Kingdom

Switchboard: +44 (0) 117 951 5151
Direct line: +44 (0) 117 952
Main Fax: +44 (0) 117 952 4103
Email: enquiries@vca.gov.uk
Web: www.vca.gov.uk

THE UNITED KINGDOM VEHICLE APPROVAL AUTHORITY

Rev 1/03



COMMUNICATION CONCERNING THE APPROVAL GRANTED OF A
REPLACEMENT BRAKE LINING ASSEMBLY OR REPLACEMENT DRUM
LINING PURSUANT TO ECE REGULATION NO: 90.01

Approval No: 90R-01184 / 3132

1. Applicant's name and address:

Juratek Ltd. Unit 16, Carcroft Enterprise Park, Station Road, Doncaster DN6 8DD

2. Manufacturer's name and address:

3. Make and type of brake lining assembly: DP11081, DP2212, and DP2206.


4. Make and type of brake lining: TD3

5. Vehicles/axles/brakes for which the brake lining assembly/drum brake lining type qualifies as original brake lining assembly: Not applicable

6. Vehicles/axles/brakes for which the brake lining assembly/drum brake lining type qualifies as replacement brake lining assembly: See Manufacturer's Information Documents

An executive agency of the Department for Transport



7. Submitted for approval on: 23 August 2006
8. Technical Service responsible for approval tests: Vehicle Certification Agency
- 8.1 Date of test report: 14 August 2006, 20 November 2006, 15 August 2006, 20 November 2006, and 23 November 2006.
- 8.2 Number of test report: VSG076369, VSG078081, VGS078079, VSG076364, and VSG078099.
9. Approval GRANTED
10. Place: BRISTOL
11. Date: 27 NOVEMBER 2006
12. Signature: 

A. W. STENNING
Head of Product Certification
13. Annexed to this communication is a list of documents in the approval file deposited at the administrative services having delivered the approval and which can be obtained upon request.

VSG076366



23/08/06	VCA Job No	VSG076366
----------	-------------------	-----------

Dear Ted,

Please find enclosed the necessary documentation for you to submit applications for approval for various brake lining assemblies DP11081, DP2206, DP2212 in TD3 material pursuant to ECE Regulation No. 90/1. This application is on behalf of Juratek Ltd and cross-references to our DP TD3 application details. We would like the application made to the VCA; I have addressed the formal letter of application accordingly.

The documents contained are: -

1. Formal letter of application
2. Manufacturers declarations
3. Lab test results :-
 - Friction test results
 - Shear test results
 - Compressibility test results
4. Vehicle fitment details
5. Disc pad assembly drawings
6. General disc pad marking drawing

**Please note: Allocated with E11 90R-01184/3132 as a provisional number.
This approval is based on VSG076369, VSG078081, and VSG078079
plus additional OE Materials testing on VSG076364 and VSG078099.**

Yours sincerely,



Susan Owens
Q.B.T.



23/08/06	VCA Job No	VSG076366
----------	------------	-----------

Vehicle Certification Agency
1 Eastgate Office Centre
Eastgate Road
Bristol
BS5 6XX

Letter of application for an approval pursuant to ECE Regulation No. 90/1

Dear Sirs,

Herewith we apply for an approval for our brake lining assembly pursuant to ECE Regulation No. 90/1.

Applicants name and address:

Juratek Ltd. Unit 16, Carcroft Enterprise Park, Station Road, Doncaster DN6 8DD

Manufacturers name and address:

Make and type of brake lining

TD3

Make and type of brake lining assembly

as listed below

Assembly Number	Assembly Contains...(see enclosed drawings)	Material Code
DP11081	2 plain pads, 2 pads with spring clips	TD3
DP2206	2 plain pads, 2 pads with spring clips	TD3
DP2212	2 plain pads, 2 pads with spring clips and wear indicators	TD3



23/08/06	VCA Job No	VSG076366
----------	-------------------	-----------

For vehicles / axles / brakes for which the lining assembly qualifies as replacement brake lining assembly, see following application list.

Assembly Number	Equivalent to	Also supplied as Assembly Number
DP11081 TD3	Equivalent to	SLB1276 leca-TD3
DP2206 TD3	Equivalent to	SLB039 leca-TD3
DP2212 TD3	Equivalent to	SLB239 leca-TD3

Yours faithfully



Susan Owens
Q.B.T.



23/08/06	VCA Job No	VSG076366
----------	------------	-----------

Manufacturer's Declaration

for granting of

Approval for replacement brake lining according to
ECE Regulation No. 90/1.

We, the company

declare herewith that

Replacement pad assemblies DP11081 TD3, DP2206 TD3, DP2212 TD3

are produced in our factory

We certify that no application has been made regarding this permission/approval by us or by companies appointed by us in countries which as contract parties would also be entitled to grant permission/approval.

We are aware of the following: -

A type marking of vehicles/vehicle components of the above mentioned type with the officially assigned approval mark can only be granted if the products have been manufactured in the above mentioned factory or at one of our listed and approved manufacturing sites, and if they comply with the official approval documents.

Companies manufacturing products for our company or under license may not use the officially assigned approval mark for vehicles/vehicle components produced at their factories unless they are listed as an approved manufacturing site, and fully comply with our quality procedures.

A marking of vehicles/vehicle components of the above mentioned type with different factory or trade marks but the same approval mark is only permissible if written consent has been obtained from the Vehicle Certification Agency.



Susan Owens
Q.B.T.



23/08/06	VCA Job No	VSG076366
----------	------------	-----------

Friction test results

Conducted in accordance with Annex 8, of ECE Regulation No. 90 Rev1 including supplement 2 to the 01 series of amendments. (TRANS/SC1/WP29/GRRF/R90 Rev 1).

Type of assembly: Part Number DP11094 in material TD3
(Previously agreed single test reference)

Type of test:	Constant torque (para. 2.2.2.2)
$\mu_{op}: 1$	0.354
$\mu_{op}: 2$	0.361
μ_{min} :	0.278
μ_{max} :	0.422

Test dates: 02/06/2006



Susan Owens
Q.B.T.

23/08/06	VCA Job No	VSG076366
----------	------------	-----------



Bench tests

Manufacturer:			
Type of brake lining assy:	DP11094 TD3	Page	1/2

1. Shear strength test¹ (5.3.2.1 of ECE Regulation No. 90 Rev 1)

- Sample

Type of assembly: DP11094 TD3

Shear area [cm²]: 43.46

- Shear strength measured

Mean value [N/cm²]: 630

Required [N/cm²]: 250

Test date: 03/06/2006

1) Test procedure according to ISO Standard 6312 (2001)



Susan Owens
Q.B.T.

23/08/06	VCA Job No	VSG076366
----------	------------	-----------



Manufacturer:			
Type of brake lining assy:	DP11094 TD3	Page	2/2

2. Compressibility test²
(5.3.2.2 of ECE Regulation No. 90 Rev 1)

- Sample

Type: III
Type of assembly: DP11094 TD3
Thickness, d_0 (nominal value) [mm]: 18.5
Pad area [cm²]: 43.464
Ram dia (corresponding to caliper piston dia) [mm]: 54

- Compressibility at specific surface pressure of 8000 kPa

Measured at ambient temperature

$$\text{Mean value: } \frac{d_4 - d'_3}{d_0} = 0.16 \%$$

Required: $\leq 2\%$

Measured at 400°C

$$\text{Mean value: } \frac{d_4 - d'_3}{d_0} = 0.65\%$$

Required: $\leq 5\%$

Test dates: 03/06/2006

2) Test procedure according to ISO Standard 6310 (2001)



Susan Owens
Q.B.T.



MAKE	MODEL 1	MODEL 2	MODEL 3	F/R	D	A	T	E	OE Caliper Manufacturer	S/V Dr	Disc /	Max Th Disc	
											Drum /	Shoe	
											Dia	Width	
DP11081	FORD	Fiesta Mk IV (95-->00)	1.25i 16V		F	01	95	02	00	Ate	V	239	20
DP11081	FORD	Fiesta Mk IV (95-->00)	1.3i, 1.4i		F	01	95	02	00	Ate	V	239	20
DP11081	FORD	Fiesta Mk IV (95-->00)	1.6i		F	01	95	02	00	Ate	V	239	20
DP11081	FORD	Fiesta Mk IV (95-->00)	1.8 Diesel		F	01	95	02	00	Ate	V	239	20
DP11081	FORD	Puma	1.4i 16V		F	02	98	03	00	Ate	V	239	20
DP11081	FORD	Puma	1.6i 16V		F	02	98	03	00	Ate	V	239	20
DP11081	FORD	Puma	1.7i 16V		F	02	98	03	00	Ate	V	239	20
DP11081	FORD	Fiesta Van / Courier (95-->00)	1.25i 16V		F	01	95	02	00	Ate	V	239	20
DP11081	FORD	Fiesta Van / Courier (95-->00)	1.3i, 1.4i		F	01	95	02	00	Ate	V	239	20
DP11081	FORD	Fiesta Van / Courier (95-->00)	1.8 Diesel		F	01	95	02	00	Ate	V	239	20
DP11081	MAZDA	121	1.25i 16V		F	01	95			Ate	V	239	20
DP11081	MAZDA	121	1.3i, 1.4i		F	01	95			Ate	V	239	20
DP11081	MAZDA	121	1.8 Diesel		F	01	95			Ate	V	239	20
DP2206	FORD	Escort MkIII, MkIV / Orion Mkl, Mkl	1.1, 1.3, 1.4		F	01	80	01	90	Ate	S	239	10.4
DP2206	FORD	Escort MkIII, MkIV / Orion Mkl, Mkl	1.1, 1.3, 1.4		F	01	80	01	90	Ate	S	239	10.4
DP2206	FORD	Escort MkIII, MkIV / Orion Mkl, Mkl	1.1, 1.3, 1.4		F	01	80	01	90	Ate	V	239	24.4
DP2206	FORD	Escort MkIII, MkIV / Orion Mkl, Mkl	1.1, 1.3, 1.4		F	01	80	01	90	Ate	V	239	24.4
DP2206	FORD	Escort MkIII, MkIV / Orion Mkl, Mkl	1.6 Petrol	except RS1600i, RS Turbo	F	01	80	01	90	Ate	V	239	24.4
DP2206	FORD	Escort MkIII, MkIV / Orion Mkl, Mkl	1.6 Petrol	except RS1600i, RS Turbo	F	01	80	01	90	Ate	V	239	24.4
DP2206	FORD	Escort MkIII, MkIV / Orion Mkl, Mkl	1.6 Petrol	RS1600i	F	01	82	01	85	Ate	V	239	24.4
DP2206	FORD	Escort MkIII, MkIV / Orion Mkl, Mkl	1.6 Diesel, 1.8 Diesel		F	01	80	01	90	Ate	S	239	10.4
DP2206	FORD	Escort MkIII, MkIV / Orion Mkl, Mkl	1.6 Diesel, 1.8 Diesel		F	01	80	01	90	Ate	V	239	24.4
DP2206	FORD	Fiesta Mk I (76-->83)	1.6 XR2		F	01	81	08	83	Ate	V	239	20
DP2206	FORD	Fiesta Mk II (83-->89)	1.6 XR2		F	08	83	04	89	Ate	V	239	20
DP2206	FORD	Fiesta Mk III (89-->95)	950cc, 1.0, 1.1, 1.3, 1.4, 1.6 (except ABS		F	04	89	01	95	Ate	V	239	20
DP2206	FORD	Fiesta Mk III (89-->95)	1.6 XR2i, 1.8i, 1.8 XR2i, RS Turbo, RS1800		F	04	89	01	95	Ate	V	239	20
DP2206	FORD	Fiesta Mk III (89-->95)	1.6 Diesel, 1.8 Diesel	ABS	F	04	89	01	95	Ate	V	239	20
DP2206	FORD	Sierra / Sapphire	1.6		F	01	87	01	93	Ate	S	239	12.9
DP2206	FORD	Sierra / Sapphire	1.6		F	01	87	01	93	Ate	S	239	12.9
DP2206	FORD	Sierra / Sapphire	1.6	non ABS	F	01	82	01	93	Ate	V	239	24.4
DP2206	FORD	Sierra / Sapphire	1.6	non ABS	F	01	82	01	93	Ate	V	239	24.4
DP2206	FORD	Sierra / Sapphire	1.8	non ABS	F	01	84	01	93	Ate	V	239	24.4
DP2206	FORD	Sierra / Sapphire	1.8	non ABS	F	01	84	01	93	Ate	V	239	24.4
DP2206	FORD	Sierra / Sapphire	2.0, 2.0i, 2.3, 2.3D, 2.3TD	except Cosworth and 4x4 mod	F	01	82	01	93	Ate	S	239	12.9
DP2206	FORD	Sierra / Sapphire	2.0, 2.0i, 2.3, 2.3D, 2.3TD	except Cosworth and 4x4 mod	F	01	82	01	93	Ate	S	239	12.9
DP2206	FORD	Sierra / Sapphire	2.0, 2.0i, 2.3, 2.3D, 2.3TD	except Cosworth and 4x4 mod	F	01	82	01	93	Ate	V	239	24.4
DP2206	FORD	Sierra / Sapphire	2.0, 2.0i, 2.3, 2.3D, 2.3TD	except Cosworth and 4x4 mod	F	01	82	01	93	Ate	V	239	24.4
DP2206	FORD	Escort III / Escort 86 Van			F	01	80	01	90	Ate	S	239	10.4
DP2206	FORD	Escort III / Escort 86 Van			F	01	80	01	90	Ate	S	239	10.4
DP2206	FORD	Escort III / Escort 86 Van			F	01	80	01	90	Ate	V	239	24.4
DP2206	FORD	Escort III / Escort 86 Van			F	01	80	01	90	Ate	V	239	24.4
DP2206	FORD	Fiesta Van / Courier (89-->95)	1.0, 1.1, 1.3, 1.4, 1.6D, 1.8D	ABS	F	04	89	01	95	Ate	V	239	20
DP2206	FORD	P100	Sierra based		F	01	88	01	94	Ate	V	240	24
DP2206	FORD	P100	Sierra based		F	01	88	01	94	Ate	V	240	24
DP2212	FORD	Escort MkIII, MkIV / Orion Mkl, Mkl	1.1, 1.3, 1.4		F	01	80	01	90	Ate	S	239	10.4
DP2212	FORD	Escort MkIII, MkIV / Orion Mkl, Mkl	1.1, 1.3, 1.4		F	01	80	01	90	Ate	S	239	10.4
DP2212	FORD	Escort MkIII, MkIV / Orion Mkl, Mkl	1.1, 1.3, 1.4		F	01	80	01	90	Ate	V	239	24.4
DP2212	FORD	Escort MkIII, MkIV / Orion Mkl, Mkl	1.1, 1.3, 1.4		F	01	80	01	90	Ate	V	239	24.4
DP2212	FORD	Escort MkIII, MkIV / Orion Mkl, Mkl	1.6 Petrol	except RS1600i, RS Turbo	F	01	80	01	90	Ate	V	239	24.4
DP2212	FORD	Escort MkIII, MkIV / Orion Mkl, Mkl	1.6 Petrol	except RS1600i, RS Turbo	F	01	80	01	90	Ate	V	239	24.4
DP2212	FORD	Escort MkIII, MkIV / Orion Mkl, Mkl	1.6 Petrol	RS1600i	F	01	82	01	85	Ate	V	239	24.4
DP2212	FORD	Escort MkIII, MkIV / Orion Mkl, Mkl	1.6 Diesel, 1.8 Diesel		F	01	80	01	90	Ate	S	239	10.4
DP2212	FORD	Escort MkIII, MkIV / Orion Mkl, Mkl	1.6 Diesel, 1.8 Diesel		F	01	80	01	90	Ate	V	239	24.4
DP2212	FORD	Fiesta Mk I (76-->83)	1.6 XR2		F	01	81	08	83	Ate	V	239	20
DP2212	FORD	Fiesta Mk II (83-->89)	1.6 XR2		F	08	83	04	89	Ate	V	239	20
DP2212	FORD	Fiesta Mk III (89-->95)	950cc, 1.0, 1.1, 1.3, 1.4, 1.6 (except ABS		F	04	89	01	95	Ate	V	239	20
DP2212	FORD	Fiesta Mk III (89-->95)	1.6 XR2i, 1.8i, 1.8 XR2i, RS Turbo, RS1800		F	04	89	01	95	Ate	V	239	20
DP2212	FORD	Sierra / Sapphire	1.6		F	01	87	01	93	Ate	S	239	12.9
DP2212	FORD	Sierra / Sapphire	1.6		F	01	87	01	93	Ate	S	239	12.9
DP2212	FORD	Sierra / Sapphire	1.6	non ABS	F	01	82	01	93	Ate	V	239	24.4



DP2212	FORD	Sierra / Sapphire	1.6	non ABS	F	01	82	01	93	Ate	V	239	24.4
DP2212	FORD	Sierra / Sapphire	1.8	non ABS	F	01	84	01	93	Ate	V	239	24.4
DP2212	FORD	Sierra / Sapphire	1.8	non ABS	F	01	84	01	93	Ate	V	239	24.4
DP2212	FORD	Sierra / Sapphire	2.0, 2.0i, 2.3, 2.3D, 2.3TD	except Cosworth and 4x4 mo	F	01	82	01	93	Ate	S	239	12.9
DP2212	FORD	Sierra / Sapphire	2.0, 2.0i, 2.3, 2.3D, 2.3TD	except Cosworth and 4x4 mo	F	01	82	01	93	Ate	S	239	12.9
DP2212	FORD	Sierra / Sapphire	2.0, 2.0i, 2.3, 2.3D, 2.3TD	except Cosworth and 4x4 mo	F	01	82	01	93	Ate	V	239	24.4
DP2212	FORD	Sierra / Sapphire	2.0, 2.0i, 2.3, 2.3D, 2.3TD	except Cosworth and 4x4 mo	F	01	82	01	93	Ate	V	239	24.4





CALIPER ACTUATION	BRAKING SPLIT F/R, DIAG or H / I	CALIPER PISTON DIA	HERST NUMBER	TYP / SCHL NUMBER	MAX SPEED Km/h	80% V MAX Km/h	VEHICLE /		ENERGY FACTOR .5 MV 2	MAXIMUM ROLLING RADIUS	INERTIA UNLADEN	VEHICLE INERTIA LADEN
							AXLE WEIGHT UN LADEN	VEHICLE WEIGHT LADEN				
Hyd	Diag	54	0928 / 2028	930, 934	170	136	1010	1485	13733280	0.33	42.345765	62.2608525
Hyd	Diag	54	0928 / 2028	928, 929, 932	170	136	1132	1460	13502080	0.33	47.460798	61.21269
Hyd	Diag	54	0928 / 2028	930, 934	170	136	1010	1485	13733280	0.33	42.345765	62.2608525
Hyd	Diag	54	0928 / 2028	935, 931	155	124	1218	1550	11916400	0.33	51.066477	64.986075
Hyd	Diag		0928 / 2028	7528		0			0	0.33	0	0
Hyd	Diag		0928 / 2028	7528		0			0	0.33	0	0
Hyd	Diag		0928 / 2028	7528		0			0	0.33	0	0
Hyd	Diag	54	0928 / 2028	930, 934	170	136	1010	1485	13733280	0.33	42.345765	62.2608525
Hyd	Diag	54	0928 / 2028	928, 929, 932	170	136	1132	1460	13502080	0.33	47.460798	61.21269
Hyd	Diag	54	0928 / 2028	935, 931	155	124	1218	1550	11916400	0.33	51.066477	64.986075
Hyd	Diag	54	0928 / 2028	930, 934	170	136	1010	1485	13733280	0.33	42.345765	62.2608525
Hyd	Diag	54	0928 / 2028	928, 929, 932	170	136	1132	1460	13502080	0.33	47.460798	61.21269
Hyd	Diag	54	0928 / 2028	935, 931	155	124	1218	1550	11916400	0.33	51.066477	64.986075
Hyd	Diag	54	0928 / 2028	579, 541, 542,	165	132	934	1325	11543400	0.33	39.159351	55.5526125
Hyd	Diag	54	0928 / 2028	579, 541, 542,	165	132	934	1325	11543400	0.33	39.159351	55.5526125
Hyd	Diag	54	0928 / 2028	579, 541, 542,	165	132	934	1325	11543400	0.33	39.159351	55.5526125
Hyd	Diag	54	0928 / 2028	579, 541, 542,	165	132	934	1325	11543400	0.33	39.159351	55.5526125
Hyd	Diag	54	0928 / 2028	539, 540, 544,	206	165	1009	1400	19011328	0.33	42.3038385	58.6971
Hyd	Diag	54	0928 / 2028	539, 540, 544,	206	165	1009	1400	19011328	0.33	42.3038385	58.6971
Hyd	Diag	54	0928 / 2028	539, 540, 544,	206	165	1009	1400	19011328	0.33	42.3038385	58.6971
Hyd	Diag	54	0928 / 2028	587, 588, 622,	151	121	989	1375	10032440	0.33	41.4653085	57.6489375
Hyd	Diag	54	0928 / 2028	587, 588, 622,	151	121	989	1375	10032440	0.33	41.4653085	57.6489375
Hyd	Diag	54	0928 / 7528	558, 306	170	136	800	1200	11097600	0.33	33.5412	50.3118
Hyd	Diag	54	0928 / 2028	558, 642, 594	180	144	840	1275	13219200	0.33	35.21826	53.4562875
Hyd	Diag	54	0928 / 2028	712, 788, 716,	177	142	800	1475	14787288	0.33	33.5412	61.8415875
Hyd	Diag	54	0928 / 2028	715, 806, 807	200	160	900	1450	18560000	0.33	37.73385	60.793425
Hyd	Diag	54	0928 / 2028	714	152	122	875	1425	10535424	0.33	36.6856875	59.7452625
Hyd	Diag	54	0928 / 2028	559, 560, 565	165	132	1204	1625	14157000	0.33	50.479506	68.1305625
Hyd	Diag	54	0928 / 2028	559, 560, 565	165	132	1204	1625	14157000	0.33	50.479506	68.1305625
Hyd	Diag	54	0928 / 2028	559, 560, 565	165	132	1204	1625	14157000	0.33	50.479506	68.1305625
Hyd	Diag	54	0928 / 2028	595, 596	178	142	1224	1710	17337485	0.33	51.318036	71.694315
Hyd	Diag	54	0928 / 2028	595, 596	178	142	1224	1710	17337485	0.33	51.318036	71.694315
Hyd	Diag	54	0928 / 2028	561, 562, 563,	190	152	1336	1850	21371200	0.33	56.013804	77.564025
Hyd	Diag	54	0928 / 2028	561, 562, 563,	190	152	1336	1850	21371200	0.33	56.013804	77.564025
Hyd	Diag	54	0928 / 2028	561, 562, 563,	190	152	1336	1850	21371200	0.33	56.013804	77.564025
Hyd	Diag	54	0928 / 2028 / 7528			0			0	0.33	0	0
Hyd	Diag	54	0928 / 2028 / 7528			0			0	0.33	0	0
Hyd	Diag	54	0928 / 2028 / 7528			0			0	0.33	0	0
Hyd	Diag	54	0928 / 2028 / 7528			0			0	0.33	0	0
Hyd	Diag	54	0928 / 2028 / 7528			0			0	0.33	0	0
Hyd	Diag	54	0928 / 2028 / 7528			0			0	0.33	0	0
Hyd	Diag	54	0928 / 2028 / 7528			0			0	0.33	0	0
Hyd	Diag	54	0928 / 2028 / 7528			0			0	0.33	0	0
Hyd	Diag	54	0928 / 2028	579, 541, 542,	165	132	934	1325	11543400	0.33	39.159351	55.5526125
Hyd	Diag	54	0928 / 2028	579, 541, 542,	165	132	934	1325	11543400	0.33	39.159351	55.5526125
Hyd	Diag	54	0928 / 2028	579, 541, 542,	165	132	934	1325	11543400	0.33	39.159351	55.5526125
Hyd	Diag	54	0928 / 2028	579, 541, 542,	165	132	934	1325	11543400	0.33	39.159351	55.5526125
Hyd	Diag	54	0928 / 2028	539, 540, 544,	206	165	1009	1400	19011328	0.33	42.3038385	58.6971
Hyd	Diag	54	0928 / 2028	539, 540, 544,	206	165	1009	1400	19011328	0.33	42.3038385	58.6971
Hyd	Diag	54	0928 / 2028	539, 540, 544,	206	165	1009	1400	19011328	0.33	42.3038385	58.6971
Hyd	Diag	54	0928 / 2028	587, 588, 622,	151	121	989	1375	10032440	0.33	41.4653085	57.6489375
Hyd	Diag	54	0928 / 2028	587, 588, 622,	151	121	989	1375	10032440	0.33	41.4653085	57.6489375
Hyd	Diag	54	0928 / 7528	558, 306	170	136	800	1200	11097600	0.33	33.5412	50.3118
Hyd	Diag	54	0928 / 2028	558, 642, 594	180	144	840	1275	13219200	0.33	35.21826	53.4562875
Hyd	Diag	54	0928 / 2028	712, 788, 716,	177	142	800	1475	14787288	0.33	33.5412	61.8415875
Hyd	Diag	54	0928 / 2028	715, 806, 807	200	160	900	1450	18560000	0.33	37.73385	60.793425
Hyd	Diag	54	0928 / 2028	559, 560, 565	165	132	1204	1625	14157000	0.33	50.479506	68.1305625
Hyd	Diag	54	0928 / 2028	559, 560, 565	165	132	1204	1625	14157000	0.33	50.479506	68.1305625
Hyd	Diag	54	0928 / 2028	559, 560, 565	165	132	1204	1625	14157000	0.33	50.479506	68.1305625



Hyd	Diag	54	0928 / 2028 /	559, 560, 565	165	132	1204	1625	14157000	0.33	50.479506	68.1305625
Hyd	Diag	54	0928 / 2028 /	595, 596	178	142	1224	1710	17337485	0.33	51.318036	71.694315
Hyd	Diag	54	0928 / 2028 /	595, 596	178	142	1224	1710	17337485	0.33	51.318036	71.694315
Hyd	Diag	54	0928 / 2028 /	561, 562, 563,	190	152	1336	1850	21371200	0.33	56.013804	77.564025
Hyd	Diag	54	0928 / 2028 /	561, 562, 563,	190	152	1336	1850	21371200	0.33	56.013804	77.564025
Hyd	Diag	54	0928 / 2028 /	561, 562, 563,	190	152	1336	1850	21371200	0.33	56.013804	77.564025
Hyd	Diag	54	0928 / 2028 /	561, 562, 563,	190	152	1336	1850	21371200	0.33	56.013804	77.564025







Material Area			Drawn By	Description	Issue No.	Part No.
3476.2 mm				Disc Pad Assembly	1	
Modification	Initial Date	Date		General Tolerance	± 0.25mm	


DP11081

Not To Scale






Material Area			Drawn By	Description	Issue No.	Part No.	 DP2206 <small>2006</small> <small>Approval Authority</small>
3332.3 mm				Disc Pad Assembly	1		
Modification	Initial Date	Date		General Tolerance	± 0.25mm	Not To Scale	



Material Area			Drawn By	Description	Issue No.	Part No.
3332.1 mm				Disc Pad Assembly	1	
Modification	Initial Date	Date		General Tolerance	$\pm 0.25\text{mm}$	Not To Scale





Material Area			Drawn By	Description Disc Pad Assembly	Issue No.	Part No.
					1	
Modification	Initial Date	Date		General Tolerance	$\pm 0.25\text{mm}$	Not To Scale

