



THE NETHERLANDS



EEC TYPE-APPROVAL CERTIFICATE

Communication concerning the:

- type-approval
- extension-of-type-approval
- refusal-of-type-approval
- withdrawal-of-type-approval

of a type of component (towing bracket) with regard to Directive 94/20/EC

Type-approval number: e4*94/20*0524*00

Reason for extension:

SECTION I


- | | | |
|--------|--|---|
| 0.1 | Make (trade name of manufacturer) | : Bosal |
| 0.2. | Type and general commercial description(s) | : 025811 |
| 0.3. | Means of identification of type if marked on the component | : Approval number |
| 0.3.1. | Location of the marking | : on type plate |
| 0.5. | Name and address of manufacturer | : Bosal
Postbus 168
4920 AD MADE |
| 0.7. | In the case of components and separate technical units, location and method of affixing of the EEC approval mark | : on type plate |
| 0.8. | Name(s) and address(es) of assembly plants | : see information document
(Annex III), item 0.8 |



Type-approval number : e4*94/20*0524*00

SECTION II

1. Additional information (where applicable) : see Appendix I
2. Technical service responsible for carrying out the tests : RDW
Testbaan|Centrum
Talingweg 76
8218 NX Lelystad
3. Date of test report : 11-12-1996
4. Number of test report : TCL-94/20-403/96
5. Remarks (if any) : see Appendix I
6. Place : Zoetermeer
7. Date : 13.FEB 1997
8. Signature :



A handwritten signature in black ink is written over a circular stamp. The stamp contains the RDW logo, which features a crown and a shield with a scale of justice. Below the logo, the letters 'RDW' are printed. To the right of the stamp, the name 'F.E. Piancius' is printed.

9. The index to the information package lodged with the competent authority that has granted type-approval, which may be obtained on request:

- Application form relating to Annex III and annexed drawings
- Drawings and instructions for attachment
- Fitting instructions
- Testreport, as mentioned in item 4.

Appendix I
to EEC type-approval certificate No : e4*94/20*0524*00
concerning the component type-approval of mechanical coupling devices with regard to
Directive 94/20/EC

1. Additional information

- 1.1. Class of the type of coupling : A50-X
- 1.2. Categories or types of vehicles for which the device is designed or restricted : see fitting instructions
- 1.3. Maximum D-value : 5.79 kN
- 1.4. Maximum vertical load S at the coupling point : 50 kg
- 1.5. Maximum load U at the fifth wheel coupling point : -- ton
- 1.6. Maximum V-value : -- kN
- 1.7. Instructions for attachment of the coupling type to the vehicle and photographs or drawings of the fixing points at the vehicle given by the manufacturer; additional information if the use of the coupling type is restricted to special types of vehicles : see fitting instructions
- 1.8. Information on the fitting of special towing brackets or mounting plates : see fitting instructions

5. Remarks : The fitting of the towbar on the vehicle must be checked according annex I nr.5.10, according the prescriptions mentionend in annex VII



**Inlichtingenformulier nr. 403
betreffende EEG-typegoedkeuring als onderdeel van
een mechanische koppelinrichting voor motorvoertuigen
en de aanhangwagens daarvan (94/20/EEG)**

ALGEMENE GEGEVENS

- 0.1 Merk : BOSAL
- 0.2 Type en Handelsbenaming(en) : 025811
- 0.5 Naam en adres van de fabrikant : zie Bijlage II
- 0.7 In het geval van onderdelen en technische eenheden plaats en wijze van aanbrenging van het EEG-goedkeuringsmerk : Typeplaatje
- 0.8 Adres(sen) van de assemblagefabriek(en) : zie Bijlage II

VERBINDING TUSSEN TREKKER EN AANHANGWAGEN OF OPLEGGER

- 1.1 Uitvoering technische beschrijving (met tekeningen en materiaal specificaties van het type mechanische koppelinrichting) : 025811
- 1.2 Klasse en type van de koppelinrichting(en) : A 50-X
- 1.3 Maximale D-waarde : 5,79 kN
- 1.4 Vertical maximumbelasting S op het aankoppelpunt : 50 kg
- 1.5 Maximumbelasting U bij de opleggerkoppeling: — ton
- 1.6 Maximale V-waarde : — kN
- 1.7 Door de fabrikant gegevens instructies voor de bevestiging van het type koppeling van het voertuig en foto's of tekeningen van de bevestigingspunten op het voertuig; aanvullende gegevens indien het type koppeling slechts voor speciale voertuigtypen wordt gebruikt : zie handleiding
- 1.8 Gegevens over de montage van speciale trekhaken of montageplaten :

datum, 10-12-96



BIJLAGE II

TOBO B.V.,
plant 34
Postbus 168
4920 AD MADE
Tweede Industrieweg 6,
4921 XH MADE
Nederland
Tel: 01626 / 87000
Fax: 01626 / 85880

LE RAPIDE
plant 39
Avenue des Monts de Champagne
51490 Beine - Nauroy
France
Tel: 26 / 032200
Fax: 26 / 032676

BOSAL AFRIKA (Pty) Ltd.,
plant 35
p.o. box 4244
Luipaardsvlei 1743 R.S.A.
40 van Eck Street, Chamdor,
Krugersdorp 1739 R.S.A.
Tel: 011 / 7622449
Fax: 011 / 7627164

BOSAL (U.K.) Ltd.,
plant 21
Unit 330 Walton Summit Road,
Bamber Bridge, Preston, Lancashire,
England PR58AP, United Kingdom
Tel: 0772 / 34851



e4*94/20*0524*00