

**THE NETHERLANDS****EEC TYPE-APPROVAL CERTIFICATE**

Communication concerning the:

- type-approval
- ~~extension of type approval~~
- ~~refusal of type approval~~
- ~~withdrawal of type approval~~

of a type of a component (towbar) with regard to Directive (94/20/EEC)

Type-approval number: e4*94/20*1199*00

Reason for extension:

SECTION I


- | | | |
|--------|--|---|
| 0.1 | Make (trade name of manufacturer) | : Bosal |
| 0.2. | Type and general commercial description(s) | : 024471 |
| 0.3. | Means of identification of type marked on the component | : Approval number |
| 0.3.1. | Location of the marking | : on type plate |
| 0.5. | Name and address of manufacturer | : Bosal
postbus 168
4920 AD Made Nederland |
| 0.7. | In the case of components and separate technical units, location and method of affixing of the EEC approval mark | : on type plate |
| 0.8. | Name(s) and address(es) of assembly plants | : See information document
(annex III, item 0.8) |

wp5169c.r00/1:3/e



Type-approval number: e4*94/20*1199*00

SECTION II

1. Additional information
(where applicable) : see Appendix I
 2. Technical service responsible for
carrying out the tests : RDW
Testbaan|Centrum
Talingweg 76
8218 NX Lelystad
 3. Date of testreport : 22-10-1998
 4. Number of testreport : RDW-94/20-0134
 5. Remarks (if any) : see Appendix I
 6. Place : Zoetermeer
 7. Date : 19. NOV 1998
 8. Signature : 
ing. A.M. Boekestein
9. The index to the information package lodged with the competent authority that has granted type-approval, which may be obtained on request, is attached.
- Application form relating to annex III and annexed drawings
 - Drawings and instructions for attachment
 - Fitting instructions
 - Test report as mentioned in item 4.

Appendix I
to EEC type-approval certificate No : e4*94/20*1199*00
concerning the components type-approval of mechanical coupling devices with regard to
Directive 94/20/EEC

- | | | | |
|------|---|---|-----|
| 1. | Additional information | | |
| 1.1. | Class of the type of coupling | : A50-X | |
| 1.2. | Categories or types of vehicles for which the device is designed or restricted | : see fitting instructions | |
| 1.3. | Maximum D-value | : 6,29 | kN |
| 1.4. | Maximum vertical load S at the coupling point | : 75 | kg |
| 1.5. | Maximum load U at the fifth wheel coupling point | : ---- | ton |
| 1.6. | Maximum V-value | : ---- | kN |
| 1.7. | Instructions for attachment of the coupling type to the vehicle and photographs or drawings of the fitting points at the vehicle given by the manufacturer; additional information if the use of the coupling type is restricted to special types of vehicles | : see fitting instructions | |
| 1.8. | Information on the fitting of special towing brackets or mounting plates | : see fitting instructions | |
| 5. | Remarks | : The installation of the coupling device to the vehicle must be checked according to requirements of Annex VII, see Annex I, par.5.10. | |



ANNEX III

Information form nr. 0134

Concerning EEG type-approval as a part of mechanical coupling device for motor vehicles and the trailer there from (94/20/EEG)

GENERAL DATA

- 0.1 Make : Bosal
- 0.2 Type and trade name : 024471
- 0.5 Name and address of manufacturer : Bosal
postbus 168
4920 AD Made Nederland
- 0.7 In case of parts and technical units, place and way of placement of the EEG approval mark : Type shield
- 0.8 Address(s) of the assembly plants :

Bosal/TOBO b.v.	Le Rapide	Bosal Afrika	Bosal industries Ltd
Tweede industrieweg 6	Rue de Reims	Luipaardsvlei 1743 R.S.A.	Tredegar
4921 XH Made Nederland	F-51490 Beine Nauroy France	Krugersdorp 1739 R.S.A. South Africa	Gwent NP2 3XY United Kingdom

CONNECTION BETWEEN PULLER AND TRAILER OR SEMI-TRAILER

- 1.1 Execution technical perscription with drawings and material specifications of the type mechanical coupling device : 024471
- 1.2 Classe and type of the coupling device(s) : A50-X
- 1.3 Maximum D-value : 6,29kN
- 1.4 Verticale maximum load S on the coupling point : 75 kg
- 1.5 Maximum load U at the trailer coupling : --- ton
- 1.6 Maximum V-value : --- kN
- 1.7 The by the manufacturers given instructions for the fitting of the coupling of the vehicle and the photo's of drawings of the fitting points on the vehicle; replenish data when the type coupling only will be used for special vehicle-types : For fitting points see e4*94/20*0416*00
- 1.8 Data about the mounting of special towbars of mounting plates

date, 22-10-1998

e4 * 94 / 20 * 0134 * 00

