

RDW

THE NETHERLANDS (NEDERLAND)



EC TYPE-APPROVAL CERTIFICATE

Communication concerning the:

- type-approval (1)

extension of type approval (+)

refusal of type approval (+)

withdrawal of type approval (4)

of a type of a component with regard to Directive 94/20/EC

Type-approval number (2)

: c4*94/20*3565*00

Reason for extension

n.a.

Approval mark

See example of type plate

SECTION I

0.1. Make (trade name of manufacturer) Bosal

0.2 Type and general commercial

description(s)

044653

0.3. Means of identification of type if

marked on the component (3)

0.3.1.Location of that marking

0.5.

Name and address of manufacturer Bosal

On type plate

RDW

Type approval number

Tweede industrieweg 6

4921 XH Made, the Netherlands

07. In the case of components and separate

technical units, location and method of

affixing of the EEC approval mark On type plate

0.8. Name(s) and address(es) of assembly

plant(s)

See information document (annex III, item 0.8)

P.O. Box 777
2700 AT Zoctermeer
The Netherlands

Tel. +31 (0)79 345 81 43 Fax +31 (0)79 345 80 43 www.rdw.nl

Vehicle Approval and Information

5 C 1301a

Type-approval number: e4*94/20*3565*00

SECTION II

 $\overline{}$ Additional information (where

applicable) see Appendix I

3 Technical service responsible for **RDW**

carrying out the tests Test Centre Lelystad

Talingweg 76 8218 NX Lelystad

Date of test report 20-09-2007

Number of test report RDW-94/20-5734

4

Ċ Remarks (if any) see Appendix I

6 Place Zoetermeer

.~1 Date 20-09-2007

00 Signature RDW**B.G.** Burger

- 9 The index to the information package lodged with the competent authority that has granted type-approval, which may be obtained on request, is attached:
- Application form relating to Annex III and annexed drawings.
- Drawings and instructions for attachment.
- Fitting instructions.

⁽i) Delete where not applicable

⁽²⁾ The EEC type-approval number appearing on this document shall consist of all sections outlined in Annex VII to Directive 70/156/EEC, as last amended by Directive 92/53/EEC. The component itself shall be marked as prescribed in the relevant separate Directive.

(3) In the means of identification of type contains characters not relevant to describe the component types covered by this type-approval certificate such characters shall be represented in the documentation by the symbol "?" (e.g. ABC??123).

APPENDIX I

 $(1,\dots,n) = \{1,\dots,n\}$

to EEC type-approval certificate number: e4*94/20*3565*00

concerning the component type-approval of mechanical coupling devices with regard to Directive 94/20/EC

Additional information

1.1. Class of the type of coupling A50-X

1.2. Categories or types of vehicles for

which the device is designed or restricted See fitting instructions

1.3. Maximum D-value (1) 11,62

 $\mathbf{\tilde{z}}$

1.4

Maximum vertical load S at the coupling point (1) 90

88

1.5. Maximum load U at the fifth wheel coupling point (1)

tonnes

1.6.

Maximum V-value (1)

 Ξ

17 Instructions for attachment of the

the use of the coupling type is manufacturer; additional information if points at the vehicle given by the photographs or drawings of the fixing coupling type to the vehicle and

restricted to special types of vehicles ٠, See fitting instructions

1.8 towing brackets or mounting plates (1) Information on the fitting of special

Ċ

Remarks (2)

See fitting instructions

requirements given in Annex VII (see Annex I Paragraph 5.10.) The installation of the coupling device on the vehicle must be checked according to the



⁽¹⁾ Delete where not applicable.
(2) Including information as to whether fifth wheel couplings are unsuitable for positive steering.