

THE NETHERLANDS

(NEDERLAND)



EC TYPE-APPROVAL CERTIFICATE

Communication concerning the:

- $type-approval^{(1)}$
- extension of type-approval⁽¹⁾
- refusal of type approval⁽¹⁾
- withdrawal of type-approval⁽¹⁾

of a type of a component with regard to Directive 94/20/EC.

Type-approval number (2) : e4*94/20*4333*00

Reason for extension : Not applicable

See example of type plate Approval mark

SECTION I

0.1. Make (trade name of manufacturer) **Bosal**

0.2. Type and general commercial

> description(s) 037641

0.3. Means of identification of type if

marked on the component (3) Type approval number

0.3.1. Location of that marking On type plate

0.5. Name and address of manufacturer : Bosal

> Tweede industrieweg 4-5-6 4921 XH Made, the Netherlands

0.7. In the case of components and separate technical units, location and method of

> affixing of the EEC approval mark On type plate

0.8. Name(s) and address(es) of assembly See information document (annex III, item 0.8) plant(s)

Vehicle Approval and

Tel. + 31 (0)79 345 81 43 P.O. Box 777 Fax + 31 (0)79 345 80 43 2700 AT Zoetermeer www.rdw.nl

The Netherlands

Couplings-component 94.20-94.20 v3.01

Page 1 of 3

SECTION II

1. Additional information (where

applicable) : See Appendix I

2. Technical service responsible for :

carrying out the tests

Testbaan | Centrum

RDW

Talingweg 76 8218 NX Lelystad

3. Date of test report : 06-09-2011

4. Number of test report : RDW-94/20-6706

5. Remarks (if any) : See Appendix I

6. Place : Zoetermeer

7. Date :

8. Signature



- 9. The index to the information package lodged with the competent authority that has granted type-approval, which may be obtained on request, is attached:
 - Application form relating to annex III and annexed drawings.
 - Drawings and instructions for attachment
 - Fitting instructions

⁽²⁾ The EEC type-approval number appearing on this document shall consist of all sections outlined in Annex VII to Directive 70/156/EEC, as last amended by Directive 92/53/EEC. The component itself shall be marked as prescribed in the relevant separate Directive.

⁽¹⁾ Delete where not applicable.

⁽³⁾ In the means of identification of type contains characters not relevant to describe the component types covered by this type-approval certificate such characters shall be represented in the documentation by the symbol "?" (e.g. ABC??123).

APPENDIX I

to EEC type-approval certificate number: e4*94/20*4333*00

concerning the components type-approval of mechanical coupling devices with regard to Directive 94/20/EC.

1. Additional information

1.1. Class of the type of coupling : A50-X

1.2. Categories or types of vehicles for which the device is designed or

restricted : See fitting instructions

1.3. Maximum D-value (1) : 9,20 kN

1.4. Maximum vertical load S at the : 75 kg coupling point (1)

1.5 Maximum load U at the fifth wheel : ---- tonnes coupling point (1)

1.6. Maximum V-value 1) : ---- kN

1.7. Instructions for attachment of the coupling type to the vehicle and photographs or drawings of the fixing points at the vehicle give by the manufacturer; additional information if the use of the coupling type is

restricted to special types of vehicles : See fitting instructions

1.8 Information on the fitting of special towing brackets or mounting plates (1) : See fitting instructions

5. Remarks (2) : The installation of the coupling device on the

vehicle must be checked according to the requirements given in Annex VII (see Annex I

Paragraph 5.10.)

⁽²⁾ Including information as to whether fifth wheel couplings are unsuitable for positive steering.



⁽¹⁾ Delete where not applicable.